

## CUMULATIVE SUBJECT INDEX<sup>1</sup>

### Volumes 27-29

#### A

##### Alphabets

- large, nonexistence theorems on perfect Lee codes, **29**, 369
- universal context-free grammar, **28**, 30

##### Alternant codes

- binary primitive, **27**, 101

##### Automata

- see also* Grammars; Languages
- context-free languages, erasable, **29**, 301
- language classes in context sensitive area, characterization, **27**, 262
- languages, multistochastic, **27**, 75
- probabilistic, state set partition and associated functions, **28**, 304
- probabilistic, two-state isolated (erratum to **21**, 483), **27**, 100
- two-dimensional firing-squad problem, synchronization, **28**, 113
- unrestricted grammars, syntactic structures, **29**, 81
- web automata, properties, **29**, 162

#### B

##### Binary codes

- $(v, k, \lambda)$  configurations and self-dual codes, **28**, 352
- error-correcting codes, minimal redundancy, **28**, 268
- with minimum distance, upper bounds on cardinality, **28**, 292
- primitive alternant, **27**, 101

##### Book reviews

- Automatentheorie und formale Sprachen*, Bd. III, G. Horz and V. Claus, **27**, 196
- Non-Linear Sampled-Data Systems*, Pierre Vidal, **28**, 176

##### Bounding filters

- Wiener optimum filtering in uncertainty conditions, **28**, 179

#### C

##### Categories

- derivations and related systems, algebraic structures, **28**, 1

##### Cellular arrays

- synchronization of bidimensional automaton, **28**, 113

##### Channels

- coding probabilities, lower bounding method, **27**, 148
- discrete memoryless, calculation of capacity, **29**, 327
- discrete noiseless, coding theorem, **29**, 234
- matrix channel capacity, calculation, **29**, 327
- multi-way, capacity region, **29**, 185

##### Codes

- AN*, perfect decimal single-error-correcting, nonexistence proof, **29**, 385
- AN*, perfect nonbinary single-error-correcting, **27**, 336
- binary codes
  - $(v, k, \lambda)$  configurations and self-dual codes, **28**, 352

<sup>1</sup> Boldface number indicates appropriate volume; lightface number indicates pagination.

- error-correcting, lower bounds for  
   redundancy, 28, 268  
   with minimum distance, upper  
   bounds on cardinality, 28, 292  
   primitive alternant, 27, 101  
 decimal  $AN$ , perfect, nonexistence  
   proof, 29, 385  
 Euclidean geometry, multifold, maxi-  
   mal, 28, 221  
 Gaussian stationary sources with me-  
   mory, block coding under square-  
   error fidelity, 29, 11  
 Goppa codes, key equation solution,  
   27, 87  
 Lee metric, nonexistence theorems over  
   large alphabets, 29, 369  
 linear, over integer residue rings, 29,  
   295  
   symmetry (Pless) class, generalization,  
   27, 369
- Coding
- channel and source, probability lower  
   bound method, 27, 148  
   multi-way channel, capacity region, 29,  
   185  
   theorem for discrete noiseless channels,  
   29, 234
- Communication
- feedback systems, discrete, general  
   method of analysis, 29, 125
- D
- Decision processes  
   sequential, in optimization dynamic  
   programming, 27, 289
- Decoding
- Goppa codes, key equation solution, 27,  
   87  
   syndrome decoding partial input/  
   output problem, minimal torsion  
   spaces, 29, 103
- Derivations
- categories, basic algebraic structures,  
   28, 1
- Derivatives
- function and derivative data, trigono-  
   metric interpolation, 28, 192
- Developmental systems  
   TOL schemes, and control sets, 27, 109
- Digital pictures
- Jordan curve theorem, converse, 29,  
   292  
   thinning algorithms, parallel class, 29,  
   286
- Distortion measures
- alphabet memoryless sources, infinite,  
   rate functions, 27, 272
- Dynamic programming
- monotone sequential decision pro-  
   cesses, minimal representations, 27,  
   289
- Dynamic systems
- nonlinear, exponential observers, 29,  
   204  
   partial input/output problem in syn-  
   drome decoding, minimal torsion  
   spaces, 29, 103
- E
- Elongated objects
- thinning algorithms, parallel class, 29,  
   286
- Entropy
- class of degree  $\beta$ , derivation, 28, 335  
   Shannon entropy characterization, role  
   of boundedness, 29, 149  
   space, linear dependence structure, 29,  
   337
- F
- File organization
- scheme with least redundancy, 28, 156
- Finite group systems
- homomorphic sequential, invertibility,  
   27, 126
- Functional schemas
- monadic, with nested predicates, 27,  
   349
- Functions
- data interpolation, causality structure,  
   and system identification, 29, 217  
   and derivative data, trigonometric  
   interpolation, 28, 192

## G

- Gaussian sources
  - stationary with memory, block coding under square-error fidelity criterion, 29, 11
- Geometries
  - multifold Euclidean geometry codes, maximal, 28, 221
- Goppa codes
  - decoding equation, solution method, 27, 87
- Grammars
  - automata, syntactic structures, 29, 81
  - bounded context, parsable, 28, 314
  - Chomsky-type, and Lindenmayer system characterizations, 27, 37
  - cycle languages, 27, 374
  - generative, syntactic structure, 29, 29
  - linear time parsers, 28, 314
  - phrase structure, derivation word algebra, 28, 204
  - phrase structure, generating context-free languages, 29, 252
  - phrase structure, syntactic structure, 29, 29
  - probabilistic context-free, achieving capacity, 29, 268
  - probabilistic, weak regular, 28, 356
  - universal context-free, 28, 30
  - unrestricted, syntactic structures, 29, 29, 81

## I

- Inductive inference
  - mathematical theory, 28, 125
- Information
  - entropy space, linear dependence structure, 29, 337
- Integro-differential equations
  - stochastic, nonlinear perturbed, random solution for, 27, 61

## L

- L*-systems
  - characterizations in terms of Chomsky-type grammars, 27, 37

## Languages

- automata, multistochastic, 27, 75
- context-free, application of string set generalizations, 27, 1
- context-free, erasable, 29, 301
- context-free, generation from phrase structure grammars, 29, 252
- context-free grammar, universal, 28, 30
- context sensitive area classes, automaton characterization, 27, 262
- cycle grammars, 27, 374
- derivation languages and syntactical categories, 28, 204
- deterministic context-free, parsable, 28, 314
- developmental systems with interaction and fragmentation, 28, 91
- formal language dimension, 29, 1
- indexed, fast recognition, 29, 381
- TOL schemes and control sets, 27, 109
- phrase structure grammars, derivation word algebra, 28, 204
- probabilistic, weak regular, 28, 356
- transducers, bounded-crossing, 27, 329
- web automata, properties, 29, 162

## M

- Matrix
  - $(v, k, \lambda)$  configurations and self-dual codes, 28, 352
- Memory
  - sequential machines, incompletely specified, characteristics, 28, 54

## N

- Networks
  - diagnosing algorithm for faulty units, 29, 141
- Noise
  - Wiener optimum bounding filters in uncertainty conditions, 28, 179
- Nonlinear systems
  - decoupling by output feedback (erratum to 26 (1974), 61), 29, 294

- dynamic, exponential observers, 29, 204
- O
- Observers  
 exponential, for nonlinear dynamic systems, 29, 204
- Optimization  
 monotone sequential decision processes, minimal representation by dynamic programming, 27, 289
- Organisms  
 developmental systems with interaction and fragmentation, 28, 91
- P
- Perceptrons  
 analog, computational geometry, decomposition and order, 27, 199
- Power series  
 Shamir theorem, proof of converse, 27, 218
- Program schemas  
 termination for second-order reasons, 29, 243
- R
- Rate distortion  
 alphabet memoryless sources, infinite, 27, 272  
 stationary Gaussian sources with memory, block coding under square-error fidelity, 29, 11
- Recursive functions  
 theory, cryptomorphic version, 27, 178
- Reproduction  
 developmental systems with interaction and fragmentation, 28, 91
- S
- Sequential machines  
 incompletely specified, memory characteristics, 28, 54
- Sets  
 control, and TOL schemes, 27, 109  
 regular, and TOL schemes, 27, 109  
 strings, generalizations to context-free languages, 27, 1
- Signals  
 coherent, of known phase, detection, 28, 35  
 Wiener optimum bounding filters in uncertainty conditions, 28, 179
- Source  
 coding probabilities, lower bounding method, 27, 148
- Stack machines  
 in L-system characterizations, 27, 37
- Stochastic control  
 conditional expectations, policy independence, 28, 65
- Subrecursive classes  
 honest pairs, and computational helping, 28, 76
- Symmetry  
 codes, class generalization, 27, 369
- Syntax  
 automata grammars, structures, 29, 81  
 categories in derivation languages, 28, 204  
 linear time parsers, 28, 314  
 unrestricted grammars, generative and phrase structure, 29, 29
- T
- Thinning  
 algorithms, parallel class, 29, 286
- Torsion spaces  
 minimal, in solution of partial input/output problem, 29, 103
- Transducers  
 bounded-crossing, 27, 329

index” Synonyms and related words: Art Index, Baedeker, Bibliography Index, Books in Print, Cumulative Book Index, Education Index, Eighteenth Amendment, Lambert conformal projection, Mercator projection, Miller projection, National Union Catalog, Moby Thesaurus. Index Translationum” L Index Translationum est un index des traductions accessible par différents critères (auteur, Éditeur, pays, langue, etc.). Il est géré par l’UNESCO. Medical Subject Headings (MeSH) is a comprehensive controlled vocabulary for the purpose of indexing journal articles and books in the life sciences. It serves as a thesaurus that facilitates searching. Created and updated by the United States National Library of Medicine (NLM), it is used by the MEDLINE/PubMed article database and by NLM's catalog of book holdings. MeSH is also used by ClinicalTrials.gov registry to classify which diseases are studied by trials registered in ClinicalTrials.