

NATIONAL AGRICULTURAL LIBRARY ARCHIVED FILE

Archived files are provided for reference purposes only. This file was current when produced, but is no longer maintained and may now be outdated. Content may not appear in full or in its original format. All links external to the document have been deactivated. For additional information, see <http://pubs.nal.usda.gov>.

Water Quality Information Center of the National Agricultural Library
Agricultural Research Service, U.S. Department of Agriculture

Nonpoint-Source Pollution Issues

January 1990 - November 1994
Quick Bibliography Series: QB 95-01
196 citations from AGRICOLA

Joe Makuch
Water Quality Information Center

Quick Bibliography Series

Bibliographies in the Quick Bibliography series of the National Agricultural Library (NAL), are intended primarily for current awareness, and as the title of the series implies, are not in-depth and exhaustive. However, the citations are a substantial resource for recent investigations on a given topic. They also serve the purpose of bringing the literature of agriculture to the interested user who, in many cases, could not access it by any other means. The bibliographies are derived from online searches of the AGRICOLA database. Timeliness of topic and evidence of extensive interest are the selection criteria. Send suggestions for Quick Bibliographies on water-related topics to wqic@nal.usda.gov

The author/searcher determines the purpose, length, and search strategy of the Quick Bibliography. Information regarding these is available from the author/searcher. The inclusion or omission of a particular publication or citation should not be construed as endorsement or disapproval. An author and subject index is provided along with the search strategy.

PLEASE NOTE: Information on document delivery services, interlibrary loan requests and copyright restrictions is appended to this bibliography. If Quick Bibliography files are copied and/or distributed, please include this information in all copies.

Nonpoint-Source Pollution Issues

1
NAL Call. No.: aTD223.A26 1993
Accomplishments of the USDA hydrologic unit area projects.
Ebodaghe, Denis Abumere,

United States, Agricultural Stabilization and Conservation Service, United States, Extension Service, United States, Soil Conservation Service Washington, D.C.? : U.S. Dept. of Agriculture, Agricultural Stabilization and Conservation Service : Extension Service : Soil Conservation Service,; 1993. 74 [i.e. 128] p. : maps ; 28 cm. Cover title. "Compiled by Denis Ebodaghe"--Foreword. June 1993. Alternate pages are numbered.

Language: English

Descriptors: Water quality management; Nonpoint source pollution; Agricultural pollution

2 NAL Call. No.: TD420.A1P7
Addressing nonpoint sources of water pollution must become an international priority.
Duda, A.M.
Oxford ; New York : Pergamon Press, c1981-1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 1-11; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Water pollution; Sources; Agricultural production

3 NAL Call. No.: HD1773.A2N6
Aggregate analysis of site-specific pollution problems: the case of groundwater contamination from agriculture.
Opaluch, J.J.; Segerson, K.
Morgantown, W.Va. : The Northeastern Agricultural and Resource Economics Association; 1991 Apr.
Northeastern journal of agricultural and resource economics v. 20 (1): p. 83-97; 1991 Apr. Paper submitted in response to call for papers on the theme "The Effects of Agricultural Production on Environmental Quality.". Includes references.

Language: English

Descriptors: Groundwater; Contamination; Water pollution; Agricultural sector; Agricultural policy; Microeconomic analysis; Aggregate data; Site factors; Spatial distribution; Information systems; Mathematical models

4 NAL Call. No.: aTD428.A37M34 1992
Agricultural nonpoint source pollution and economic incentive policies issues in the reauthorization of the Clean Water Act : water quality. Malik, Arun S.; Larson, Bruce A.; Ribaldo, Marc
United States, Dept. of Agriculture, Economic Research

Service, Resources and Technology Division
Washington, DC : U.S. Dept. of Agriculture, Economic Research
Service, Resources and Technology Division,; 1992.
iv, 14 p. ; 28 cm. (ERS staff report ; no. AGES 9229.). Cover
title. "November 1992"--P. iii. Includes bibliographical
references (p. 12-14).

Language: English

Descriptors: Agricultural pollution; Water

5 NAL Call. No.: aS21.R44A7
Agricultural nonpoint-source runoff and sediment yield water
quality (NPSWQ) models: modeler's perspective.
Rose, C.W.; Dickinson, W.T.; Ghadiri, H.; Jorgensen, S.E.
Beltsville, Md. : The Service; 1990 Jun.
ARS - U.S. Department of Agriculture, Agricultural Research
Service (81): p. 145-169; 1990 Jun. Paper presented at the
International Symposium on Water Quality Modeling of
Agricultural Non-Point Sources, part 1, June 19-23, 1988,
Logan, Utah. Literature review. Includes references.

Language: English

Descriptors: Soil water movement; Models; Runoff water;
Sediment; Agricultural chemicals; Water quality; Literature
reviews

6 NAL Call. No.: 1 Ag84y
Agriculture, agricultural chemicals, and water quality.
Carey, A.E.
Washington, D.C. : U.S. Dept. of Agriculture : For sale by the
Supt. of Docs., U.S. G.P.O., [1980-; 1991.
The ... yearbook of agriculture. p. 78-85; 1991. In the
series analytic: Agriculture and the Environment / edited by
D. Takiff Smith.

Language: English

Descriptors: Water quality; Agricultural production;
Pesticides; Environmental impact; Water pollution; Point
sources; Environmental management; Environmental protection

7 NAL Call. No.: S589.75.I58 1993
Agriculture and the environment papers presented at the
International Conference on Agriculture and the Environment
10-13 November 1991. Edwards, C. A.
International Conference on Agriculture and the Environment
1991. Amsterdam ; New York : Elsevier,; 1993.
xxv, 326 p. : ill., map ; 27 cm. Reprinted from Agriculture,
ecosystems and environment, vol. 46 nos. 1-4 (1993). Includes
bibliographical references.

Language: English

Descriptors: Agriculture; Sustainable agriculture; Nonpoint source pollution; Pests

8 NAL Call. No.: 1.90 C20U8
Agriculture's role in addressing nonpoint source pollution.
Burt, J.P.
Washington, D.C. : U.S. Dept. of Agriculture, [1992-; 1994.
Agriculture outlook (70th): p. 47-52; 1994. Meeting held
November 30 -December 1, 1993, Washington, DC.

Language: English

Descriptors: U.S.A.; Cabt; Pollution; Watersheds; Agricultural production; Environmental legislation

9 NAL Call. No.: TD171.U5
Albemarle-Pamlico: case study in pollutant trading. Most of
the nutrients came from nonpoint sources.
Hall, J.; Howett, C.
Washington, U.S. Environmental Protection Agency; 1994.
EPA journal v. 20 (1/2): p. 27-29; 1994.

Language: English

Descriptors: North Carolina; Cabt; Estuaries; Water quality; Pollutants; Nutrients; Nitrogen; Point sources; Nutrient sources; Environmental degradation; Watershed management; Pollution control

10 NAL Call. No.: TD420.A1P7
Application of a GIS-based nonpoint source nutrient loading
model for assessment of land development scenarios and water
quality in Owasco Lake, New York.
Heidtke, T.M.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
595-604; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: New York; Cabt; Lakes; Water quality; Phosphorus; Loads; Water pollution; Models; Geographical information systems; Land use

11 NAL Call. No.: TD172.A7
Assessment of nonpoint source pollution in stormwater runoff
in Louisville, (Jefferson County) Kentucky, USA.
Marsh, J.M.

New York, Springer-Verlag; 1993 Nov.
Archives of environmental contamination and toxicology v. 25
(4): p. 446-455; 1993 Nov. Includes references.

Language: English

Descriptors: Kentucky; Cabt; Storms; Runoff water; Water
pollution; Pesticides; Bioassays; Biological indicators; Fish

12 NAL Call. No.: 407 G29W no.2381-C
Assessment of nonpoint-source contamination of the High Plains
aquifer in south-central Kansas, 1987.. Assessment of
nonpoint-source contamination, High Plains aquifer, Kansas
Helgesen, John O.; Stullken, Lloyd E.; Rutledge, A. T.
Washington, DC : U.S. G.P.O. ; Denver, CO : For sale by U.S.
Geological Survey, Map Distribution,; 1994; I 19.13:2381-C.
v, 51 p. : ill., maps ; 28 cm. (U.S. Geological Survey water-
supply paper ; 2381-C Analysis of nonpoint-source ground-water
contamination in relation to land use ; ch. C). "Assessment
of nonpoint-source contamination, High Plains aquifer,
Kansas"--Title on p. (4) of cover. Includes bibliographical
references (p. 34-36).

Language: English; English

Descriptors: Land use; Nonpoint source pollution; Groundwater

13 NAL Call. No.: TD420.A1P7
Assumed non-point water pollution based on the nitrogen budget
in Polish agriculture.
Sapek, A.; Sapek, B.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
483-488; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Poland; Cabt; Water pollution; Air pollution;
Nitrogen; Agricultural production; Nitrogen balance

14 NAL Call. No.: TD427.P35B46 1992
Best management practices for agricultural nonpoint source
control IV Pesticides for the project Rural Nonpoint Source
Control Water Quality Evaluation and Technical Assistance
(National Water Quality Evaluation Project).
United States, Environmental Protection Agency, Office of
Research and Development
Washington, DC : U.S. Environmental Protection Agency, Office
of Research and Development,; 1992; EP 1.2:M 31/8.
xiii, 87 p. ; 28 cm. Shipping list no.: 92-268-P. September,

1984. Bibliography: p. 73-87.

Language: English

Descriptors: Pesticides

15 NAL Call. No.: Z5862.2.W3F58 1993
A bibliography of selected nonpoint source literature.
Flippo, Herbert N.; Jackson, Donald R.
Susquehanna River Basin Commission
Harrisburg, PA (1721 N. Front St., Harrisburg 17102) :
Susquehanna River Basin Commission,; 1993; PY S9642.2 B5825.
i, 81 p. ; 28 cm. (Publication (Susquehanna River Basin
Commission) ; no. 148.). January 1993.

Language: English; English

Descriptors: Nonpoint source pollution

16 NAL Call. No.: QH96.8.B5R53 1991
Biological metric development for the assessment of nonpoint
pollution in the Snake River ecoregion of Southern Idaho
1990-1991 final report. Robinson, Christopher T.; Minshall, G.
Wayne
Pocatello : Idaho : Dept. of Biological Sciences, Idaho State
University,; 1991.
75 p. : ill., map ; 28 cm. 23 April 1991. Includes
bibliographical references (p. 70-71).

Language: English

Descriptors: Water quality bioassay; Water quality management;
Environmental monitoring

17 NAL Call. No.: TD420.A1P7
Biomonitoring and amelioration of nonpoint source pollution in
some aquatic bodies.
Chandra, P.; Tripathi, R.D.; Rai, U.N.; Sinha, S.; Garg, P.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
323-326; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Orissa; Cabt; Uttar pradesh; Cabt; Body water;
Water pollution; Water purification; Aquatic plants

18 NAL Call. No.: TD224.W6B46 1993
Brown water, green weeds familiar signs of nonpoint source

pollution. Bennett, Steve
Wisconsin Nonpoint Source Water Pollution Abatement Program
Madison, Wis. : University of Wisconsin Extension, [1993?];
1993. 1 folded sheet (4 p.) : ill. ; 28 cm. Caption title.
"I-05-93-10M-20-S"--P. [4]. "GWQ003"--P. [4].

Language: English

Descriptors: Nonpoint source pollution; Water; Urban runoff;
Agricultural pollution

19 NAL Call. No.: S631.F422
Changing farm practice to meet environmental objectives of
nutrient loss to Oyster Harbour.
Weaver, D.M.; Prout, A.L.
Dordrecht : Kluwer Academic Publishers; 1993.
Fertilizer research v. 36 (2): p. 177-184; 1993. In the
special issue: Fertilizers and eutrophication in South-Western
Australia / edited by E.P. Hodgkin and J.S. Yeates. Includes
references.

Language: English

Descriptors: Western australia; Cabt; Watershed management;
Agricultural land; Nutrients; Phosphorus; Losses from soil;
Point sources; Farm management; Environmental management;
Water quality; Eutrophication

Abstract: Eutrophication problems in waterbodies in south-
western Australia are primarily caused by inputs of nutrients
from diffuse sources within the agricultural catchments of
these waterbodies. To reduce the algal growth and seagrass
decline caused by these inputs, it is essential to modify land
management to minimize nutrient losses. Permanent reduction in
nutrient losses from agricultural catchments should involve
voluntary changes in farm management practices based on
improved land management. Specifically, these include on-farm
nutrient management such as soil testing, fertilizer
management, the use of perennial plants, and water and erosion
control measures to reduce nutrient loss from rural land. This
paper describes the management of nutrient loss from the
catchment of Oyster Harbour on the south coast of Western
Australia using a co-operative approach.

20 NAL Call. No.: TD224.T4N48 1992
Characterization of non-point sources and loadings to
Galveston Bay. Newell, Charles J.; Rifai, H. S.; Bedient,
Philip B.,
Galveston Bay National Estuary Program
Clear Lake, Tex. : Galveston Bay National Estuary Program, ;
1992; W1137.7 G139 no.15.
2 v. : ill., col. maps ; 28 cm. (GBNEP ; -15). March, 1992.
Vol. 2: 28 x 45 cm. Includes bibliographical references (v.
1, p. 155-162).

Language: English

Descriptors: Galveston Bay (Tex.); Environmental impact statements; Watersheds; Land use; Hydrology; Water quality

21 NAL Call. No.: TD420.A1P7
Chesapeake experience: NPS Chesapeake challenge for sustainable development. Bauereis, E.I.
Oxford : Pergamon Press; 1992.
Water science and technology : a journal of the International Association on Water Pollution Research and Control v. 26 (12): p. 2723-2725; 1992. In the series analytic: Water Quality International '92. Part 6 / edited by M. Suzuki, et.al. Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control, held May 24-30, Washington, D.C.

Language: English

Descriptors: Maryland; Sustainability; Water pollution; Body water; Coastal areas

22 NAL Call. No.: HC79.E5E5
Classification and spatial mapping of riparian habitat with applications toward management of streams impacted by nonpoint source pollution. Delong, M.D.; Brusven, M.A.
New York, N.Y. : Springer-Verlag; 1991 Jul.
Environmental management v. 15 (4): p. 565-571; 1991 Jul.
Includes references.

Language: English

Descriptors: Idaho; Habitats; Riparian vegetation; Erosion; Pollution; Information systems; Mapping; Watersheds; Farmland

23 NAL Call. No.: 56.8 J822
Classifying remotely sensed data for use in an agricultural nonpoint-source pollution model.
Jakubauskas, M.E.; Whistler, J.L.; Dillworth, M.E.; Martinko, E.A. Ankeny, Iowa : Soil and Water Conservation Society of America; 1992 Mar. Journal of soil and water conservation v. 47 (2): p. 179-183; 1992 Mar. Includes references.

Language: English

Descriptors: Kansas; Water quality; Water pollution; Remote sensing; Watersheds; Simulation models; Landsat; Thematic mapper; Data collection

24 NAL Call. No.: TD423.C632 1993
Coastal nonpoint pollution control program program development and approval guidance.
United States, National Oceanic and Atmospheric

Administration, United States, Environmental Protection Agency, Office of Water
Washington, D.C. : U.S. Environmental Protection Agency, ;
1993. ix, 46, [35] p. ; 28 cm. Cover title. January 1993.

Language: English

Descriptors: Water; Coastal zone management

25

NAL Call. No.: 292.9 Am34

A comparison of runoff quality effects of organic and inorganic fertilizers applied to fescuegrass plots.

Edwards, D.R.; Daniel, T.C.

Bethesda, Md. : American Water Resources Association; 1994
Jan. Water resources bulletin v. 30 (1): p. 35-41; 1994 Jan.
Includes references.

Language: English

Descriptors: Arkansas; Cabt; Poultry manure; Pig manure; Npk fertilizers; Runoff; Water quality; Festuca arundinacea; Pastures; Pollution

Abstract: Application of fertilizer can degrade quality of runoff, particularly during the first post-application, runoff-producing storm. This experiment assessed and compared runoff quality impacts of organic and inorganic fertilizer application for a single simulated storm occurring seven days following application. The organic fertilizers used were poultry (*Gallus gallus domesticus*) litter, poultry manure, and swine (*Sus scrofa domesticus*) manure. All fertilizers were applied at an application rate of 217.6 kg N/ha. Simulated rainfall was applied at 50 mm/h for an average duration of 0.8 h. Runoff samples were collected, composited, and analyzed for nitrate N (NO₃-N), ammonia N (NH₃-N), total Kjeldahl N (TKN), ortho-P (PO₄-P), total P (TP), chemical oxygen demand (COD), total suspended solids (TSS), fecal coliforms (FC), and fecal streptococci (FS). Application of the fertilizers did not alter the hydrologic characteristics of the receiving plots relative to the control plots. Concentrations of fertilizer constituents were almost always greater from treated than from control plots and were usually much greater. Flow-weighted mean concentrations of NH₃-N, PO₄-P, and TP were highest for the inorganic fertilizer treatment (42.0, 26.6, and 27.9 mg/L respectively). Runoff COD and TSS concentrations were greatest for the poultry litter treatment. Concentrations of FC and FS were greater for fertilized than for control plots with no differences among fertilized plots, but FC concentrations for all treatments were in excess of Arkansas' primary and secondary contact standards. Mass losses of fertilizer constituents were low (< 3 kg/ha) and were small proportions (< 3 percent) of amounts applied.

26

NAL Call. No.: 290.9 AM32P

A comparison of three nonpoint source pollution models.

Lehman, D.A.; Shirmohammadi, A.; Shoraka, S.
St. Joseph, Mich. : The Society; 1990.
Paper - American Society of Agricultural Engineers (90-2038):
36 p.; 1990. Paper presented at the 1990 International Summer
Meeting, June 24-27, 1990, Columbus, Ohio. Includes
references.

Language: English

Descriptors: Groundwater pollution; Simulation models

27 NAL Call. No.: LU378.76 L930 1992 cock
A comprehensive assessment of groundwater nitrate pollution
from point and non-point sources.
Cockrell, Charles W.
1992; 1992.
vii, 67 leaves : ill., maps (some folded) ; 29 cm. Vita.
Abstract. Includes bibliographical references (leaves 65-66).

Language: English; English

Descriptors: Water, Underground; Hazardous waste sites; Wells

28 NAL Call. No.: S539.5.J68
The concept and need for a phosphorus assessment tool.
Lemunyon, J.L.; Gilbert, R.G.
Madison, WI : American Society of Agronomy, c1987-; 1993 Oct.
Journal of production agriculture v. 6 (4): p. 483-486; 1993
Oct. Paper presented at the "Symposium on assessment of
potential phosphorus losses from a field site", November 4,
1992, Minneapolis, Minnesota. Includes references.

Language: English

Descriptors: Resource management; Phosphorus; Losses from
soil; Eutrophication; Water pollution; Risk; Assessment;
Indexes

29 NAL Call. No.: TD223.C73 1993
Created and natural wetlands for controlling nonpoint source
pollution. Olson, Richard K.
United States, Environmental Protection Agency, Office of
Research and Development, United States, Environmental
Protection Agency, Office of Wetlands, Oceans, and Watersheds
Boca Raton, Fla. : C.K. Smoley,; 1993.
v, 216 p. : ill., maps ; 25 cm. U.S. EPA, Office of Research
and Development, and Office of Wetlands, Oceans, and
Watersheds. Includes bibliographical references.

Language: English

Descriptors: Water quality management; Water; Wetland
conservation; Constructed wetlands

30

NAL Call. No.: SD1.S63

Current southern state programs for control of forestry nonpoint source pollution.

Lickwar, P.M.; Cabbage, F.W.; Hickman, C.A.

Bethesda, Md. : Society of American Foresters; 1990 May.

Southern journal of applied forestry v. 14 (2): p. 64-69; 1990 May. Includes references.

Language: English

Descriptors: South eastern states of U.S.A.; South central states of U.S.A.; Forestry; Pollution; Water composition and quality; Surveys

31

NAL Call. No.: S494.5.D3C652

A decision support system for soil conservation planning.

Montas, H.; Madramootoo, C.A.

Amsterdam : Elsevier Science Publishers, B.V.; 1992 Sep.

Computers and electronics in agriculture v. 7 (3): p. 187-202; 1992 Sep. Includes references.

Language: English

Descriptors: Quebec; Soil conservation; Watersheds; Land use planning; Decision making; Expert systems; Information systems; Erosion; Simulation models; Rain; Soil types

32

NAL Call. No.: TD420.A1P7

Determining tradeoffs between water quality and profitability in agricultural production: implications for nonpoint source pollution policy. Contant, C.K.; Duffy, M.D.; Holub, M.A.

Oxford ; New York : Pergamon Press, c1981-; 1993.

Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 27-34; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Iowa; Cabt; Water pollution; Sources; Agricultural production; Water quality

33

NAL Call. No.: S590.C63

Development and implementation of the Virginia agronomic land use evaluation system (values).

Donohue, S.J.; Simpson, T.W.; Baker, J.C.; Monnett, M.M.;

Hawkins, G.W. New York, N.Y. : Marcel Dekker; 1994.

Communications in soil science and plant analysis v. 25 (7/8): p. 1103-1108; 1994. Paper presented at the 1993 International Symposium on Soil Testing and Plant Analysis: Precision Nutrient Management, August 14-19, 1993, Olympia, Washington.

Part 1.

Language: English

Descriptors: Virginia; Cabt; Fertilizer requirement determination; Soil testing; Nutrients; Management; Databases; Land use; Land evaluation; Water quality; Environmental protection; Water pollution; Pollution control; Point sources

34 NAL Call. No.: TD420.A1P7 v.28 no.3-5
Diffuse pollution proceedings of the IAWQ 1st International Conference on Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement, held in Chicago, Illinois, USA, 19-24 September 1993., 1st ed..
Olem, Harvey
International Association of Water Quality
IAWQ International Conference of Diffuse Nonpoint Pollution (1st : Chicago, Ill. : 1993).
Oxford ; New York : Pergamon Press, ; 1993.
xiii, 722 p. : ill., maps ; 25 cm. (Water science and technology v. 28, no. 3-5). On cover: IAWQ, International Association on Water Quality. Includes bibliographical references and index.

Language: English

Descriptors: Nonpoint source pollution

35 NAL Call. No.: TD420.A1P7
The distributed modelling of agricultural nonpoint pollution at basin scale: experimental research and model validation.
Preti, F.; Lubello, C.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 669-674; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Italy; Cabt; Agricultural chemicals; Application; Rivers; Watersheds; Water pollution; Models

36 NAL Call. No.: TD223.N36 1992
Document it! Procedures for the documentation of nonpoint source project data--land treatment.
Hermsmeyer, B.
Washington, DC : U.S. Environmental Protection Agency; 1992.
Proceedings: the National RCWP Symposium : 10 years of controlling agricultural nonpoint source pollution : the RCWP experience : Sept 13-17, 1992, Orlando, Florida. p. 273-278; 1992.

Language: English

Descriptors: Nebraska; Water pollution; Agricultural land; Residues; Land management; Pollution control; Water management; Documentation

37

NAL Call. No.: 290.9 Am32T

Drying interval effects on quality of runoff from fescue plots treated with poultry litter.

Edwards, D.R.; Daniel, T.C.; Moore, P.A. Jr; Vendrell, P.F. St. Joseph, Mich. : American Society of Agricultural Engineers 1958-; 1994 May.

Transactions of the ASAE v. 37 (3): p. 837-843; 1994 May. Includes references.

Language: English

Descriptors: Arkansas; Cabt; Festuca arundinacea; Poultry manure; Drying; Runoff; Pollution; Rainfall simulators

Abstract: Land application of poultry (*Gallus gallus domesticus*) litter can lead to elevated runoff concentrations of organic matter and nutrients. This experiment was conducted to determine the impacts of poultry litter treatment (0 and 218 kg of N ha⁻¹) and drying interval (4, 7, and 14 days) between litter application and simulated rainfall on quality of runoff from fescue grass (*Festuca arundinacea* Schreb.) plots. Runoff was generated from simulated rainfall (50 mm h⁻¹) and sampled at 0.08-h intervals during runoff. Composite runoff samples from each treatment and replication were analyzed for nitrate N (NO₃-N), ammonia N (NH₃-N), total Kjeldahl N (TKN), orthor-P (PO₄-P), total P (TP), chemical oxygen demand (COD), and total suspended solids (TSS). One set per treatment of the noncomposited runoff samples was also analyzed. Runoff concentrations of all parameters except NO₃-N were significantly ($p < 0.05$) higher for the litter-treated plots than for the control plots. Drying interval did not significantly ($p < 0.05$) affect either concentration or total mass of any constituent lost in the runoff. Concentrations of NH₃-N, TKN, PO₄-P, and TP decreased uniformly with increasing runoff rate and thus with time after beginning of runoff. Temporal variation in runoff concentrations of NO₃-N, COD, and TSS followed no identifiable general pattern.

38

NAL Call. No.: 290.9 Am32P

Dynamic simulation of nonpoint source pollutant transport in agricultural watersheds.

Ashraf, M.S.; Borah, D.K.

St. Joseph, Mich. : American Society of Agricultural Engineers,; 1991. Paper / (912001): 20 p.; 1991. Paper presented at the "1991 International Summer Meeting sponsored by the American Society of Agricultural Engineers," June 23-26, 1991, Albuquerque, New Mexico. Includes references.

Language: English

Descriptors: Water quality; Watersheds; Pollution

39 NAL Call. No.: 292.9 Am34
Economic incentives for agricultural nonpoint source pollution control. Malik, A.S.; Larson, B.A.; Ribaud, M.
Herndon, Va. : American Water Resources Association; 1994 May.
Water resources bulletin v. 30 (3): p. 471-480; 1994 May.
Includes references.

Language: English

Descriptors: Water pollution; Pollution control; Environmental legislation; Incentives; Economic policy

Abstract: The limited success of command-and-control policies for reducing nonpoint source (NPS) water pollution mandated under the Federal Water Pollution Control Act (FWPCA) has prompted increased interest in economic incentive policies as an alternative control mechanism. A variety of measures have been proposed ranging from fairly minor modifications of existing policies to substantial revisions including watershed-wide policies that rely on economic incentives. While greater use of economic incentive policies, such as environmental bonds and point/nonpoint source trading is being advocated in the reauthorization of the CWA, the expected effects of individual proposals will be modest. The characteristics of NPS pollution, namely uncertainty and asymmetrical information, underscores that there is no single, ideal policy instrument for controlling the many types of agricultural NPS water pollution. Some of the usual incentive-based policies, such as effluent taxes, are not well suited to the task. Individual incentive policies proposed for the reauthorized CWA, such as pollution trading or deposit/refund systems, are not broadly applicable for heterogeneous pollution situations. Economic incentive policies may be appropriate in some cases, and command-and-control policies will be preferable in others and may in fact complement incentive policies.

40 NAL Call. No.: QD1.A45
Economical monitoring procedure for assessing agrochemical nonpoint source loading in unconsolidated aquifers.
Spalding, R.F.; Exner, M.E.; Burbach, M.E.
Washington, D.C. : The Society; 1991.
ACS Symposium series - American Chemical Society (465): p. 255-261; 1991. In the series analytic: Groundwater residue sampling design / edited by R.G. Nash and A.R. Leslie.
Includes references.

Language: English

Descriptors: Groundwater; Agricultural chemicals; Piezometers; Sampling; Water pollution

Abstract: Multilevel samplers (MLSs) consisting of piezometers and tube samplers, a logical approach for determining the direction of groundwater flow and chemistry in shallow (< 6 m) nonpoint source (NPS) groundwater investigations. These MLSs have evolved from fastening the tubing to conduit at specific depths while the conduit was lowered into the hollow stem auger train to the present method of installing preassembled MLSs in boreholes drilled by the reverse circulation rotary method without the use of drilling additives. This method allows the aquifer to be sectioned into discrete layers and provides an instantaneous snapshot of both flow and chemistry in three dimensions. The procedure has been used successfully at several sites in Nebraska. The method is cheap, fast, and accurate in areas where the depth to water is less than 6 m. While the same procedure can be used where depths to water exceed 6 m, the need for gas-driven samplers substantially increases the cost.

41 NAL Call. No.: 56.8 J822
The effect of CRP enrollment on sediment loads in two southern Illinois streams.
Davie, D.K.; Lant, C.L.
Ankeny, Iowa : Soil and Water Conservation Society; 1994 Jul.
Journal of soil and water conservation v. 49 (4): p. 407-412;
1994 Jul. Includes references.

Language: English

Descriptors: Illinois; Cabt; Soil conservation; Erosion control; Federal programs; Participation; Environmental impact; Sediment; Streams; Water pollution; Point sources

42 NAL Call. No.: TD420.A1P7
Effective monitoring strategies for demonstrating water quality changes from nonpoint source controls on a watershed scale.
Spooner, J.; Line, D.E.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 143-148; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water quality; Pollution; Sources; Watersheds; Agricultural production; Agricultural land; Treatment

43 NAL Call. No.: 292.9 Am34
Effects of agricultural nutrient management on nitrogen fate

and transport in Lancaster County, Pennsylvania.
Hall, D.W.; Risser, D.W.
Bethesda, Md. : American Water Resources Association; 1993
Jan. Water resources bulletin v. 29 (1): p. 55-76; 1993 Jan.
Includes references.

Language: English

Descriptors: Pennsylvania; Cabt; Nitrogen; Nitrates;
Application to land; Movement in soil; Losses from soil; Water
budget; Precipitation; Groundwater; Manures; Fertilizers;
Hydrology; Groundwater pollution

Abstract: Nitrogen inputs to, and outputs from, a 55-acre site in Lancaster County, Pennsylvania, were estimated to determine the pathways and relative magnitude of loads of nitrogen entering and leaving the site, and to compare the loads of nitrogen before and after the implementation of nutrient management. Inputs of nitrogen to the site were manure fertilizer, commercial fertilizer, nitrogen in precipitation, and nitrogen in ground-water inflow; and these sources averaged 93, 4, 2, and 1 percent of average annual nitrogen additions, respectively. Outputs of nitrogen from the site were nitrogen in harvested crops, loads of nitrogen in surface runoff, volatilization of nitrogen, and loads of nitrogen in ground-water discharge, which averaged 37, less than 1, 25, and 38 percent of average annual nitrogen removals from the site, respectively. Virtually all of the nitrogen leaving the site that was not removed in harvested crops or by volatilization was discharged in the ground water. Applications of manure and fertilizer nitrogen to 47.5 acres of cropped fields decreased about 33 percent, from an average of 22,700 pounds per year (480 pounds per acre per year) before nutrient management to 15,175 pounds of nitrogen per year (320 pounds per acre per year) after the implementation of nutrient management practices. Nitrogen loads in ground-water discharged from the site decreased about 30 percent, from an average of 292 pounds of nitrogen per million gallons of ground water before nutrient management to an average of 203 pounds of nitrogen per million gallons as a result of the decreased manure and commercial fertilizer applications. Reductions in manure and commercial fertilizer applications caused a reduction of approximately 11,000 pounds (3,760 pounds per year; 70 70 pounds per acre per year) in the load of nitrogen discharged in ground water from the 55-acre site during the three-year period 1987-1990.

44 NAL Call. No.: TD223.N36 1992
The effects of temporal and spatial variability on monitoring agricultural nonpoint source pollution.
Johengen, T.H.; Beeton, A.M.
Washington, DC : U.S. Environmental Protection Agency; 1992.
Proceedings: the National RCWP Symposium : 10 years of controlling agricultural nonpoint source pollution : the RCWP experience : Sept 13-17, 1992, Orlando, Florida. p. 89-95; 1992. Includes references.

Language: English

Descriptors: Michigan; Water pollution; Pesticide residues;
Pollution control; Spatial variation; Temporal variation;
Monitoring; Water quality

45 NAL Call. No.: TD223.N36 1992
Elements of a model program for nonpoint source pollution control. Coffey, S.W.; Spooner, J.; Line, D.E.; Gale, J.A.; Arnold, J.A.; Osmond, D.L.; Humenik, F.J.
Washington, DC : U.S. Environmental Protection Agency; 1992.
Proceedings: the National RCWP Symposium : 10 years of controlling agricultural nonpoint source pollution : the RCWP experience : Sept 13-17, 1992, Orlando, Florida. p. 361-374; 1992. Includes references.

Language: English

Descriptors: North Carolina; Water quality; Pollution control

46 NAL Call. No.: TD420.A1P7
Environmental auditing for nonpoint source pollution control in a region of New South Wales (Australia).
Turner, G.W.; Ruffio, R.M.C.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 302-309; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: New South Wales; Cabt; Rural areas; Environmental assessment; Watersheds; Pollution; Sources; Pollution control

47 NAL Call. No.: 1 Ag84Ab no.664-64
Environmental concerns associated with livestock, dairy, and poultry production.. Issues for the 1990's, environment
Christensen, L. A.; Krause, Kenneth R.,
United States, Dept. of Agriculture, Economic Research Service
Washington, D.C.? : U.S. Dept. of Agriculture, Economic Research Service,; 1993.
1 sheet (2 p.) ; 28 x 22 cm. (Agriculture information bulletin ; no. 664-64). Caption title. At head of title: Issues for the 1990's: environment. November 1993. Includes bibliographical references.

Language: English

Descriptors: Animal waste; Agricultural pollution; Nonpoint source pollution

48

NAL Call. No.: 292.8 W295

Estimating changes in recreational fishing participation from national water quality policies.

Ribaudo, M.O.; Piper, S.L.

Washington, D.C. : American Geophysical Union; 1991 Jul.

Water resources research v. 27 (7): p. 1757-1763; 1991 Jul.

Includes references.

Language: English

Descriptors: Water quality; Water policy; Water pollution; Angling; Participation; Estimation; Models

Abstract: The complete evaluation of the offsite effects of national policies or programs that affect levels of agricultural nonpoint source pollution requires linking extensive water quality changes to changes in recreational activity. A sequential decision model is specified to describe an individual's decisions about fishing. A participation model for recreational fishing that includes a water quality index reflecting regional water quality is developed and estimated as a logit model with national level data. A visitation model for those who decide to fish that also includes the water quality index is estimated using ordinary least squares. The water quality index is found to be significant in the participation model but not in the visitation model. Together, the two models provide a means of estimating how changes in water quality might influence the number of recreation days devoted to fishing. The model is used to estimate changes in fishing participation for the Conservation Reserve Program.

49

NAL Call. No.: QH540.J6

Estimating daily nutrient fluxes to a large Piedmont reservoir from limited tributary data.

Nearing, M.A.; Risse, R.M.; Rogers, L.F.

Madison : American Society Of Agronomy,; 1993 Oct.

Journal of environmental quality v. 22 (4): p. 666-671; 1993

Oct. Includes references.

Language: English

Descriptors: Georgia; Cabt; Lakes; Water quality; Watersheds; Pollution; Land use; Agricultural land; Stream flow; Nitrate nitrogen; Nitrogen; Phosphorus; Chemical oxygen demand; Variation

Abstract: Physically based models of lakes require estimates of daily, spatially varied water and nutrient fluxes into the lake from surrounding watersheds. Often, however, only a selected set of streams are periodically (monthly or biweekly) sampled. The objective of this study was to develop and test a method for estimating daily flux of nutrients into a large reservoir using data from sampling of selected watersheds. Flow rate, nitrate (NO₃-N), total nitrogen (TN), soluble

reactive phosphorus (SRP), total phosphorus (TP), and chemical oxygen demand (COD) were measured monthly during 1991 for eight watersheds that feed Lake Lanier in northern Georgia. Daily stream flow in the eight streams was correlated to data from nearby USGS gauged stream stations, and daily nutrient concentrations were related to watershed land use and monthly variation in measured concentrations. Fraction of agricultural land in the watershed (AG) was the only land use parameter that correlated to nonpoint-source loads. Coefficients of determination for linear regressions between AG and NO₃-N, TN, SRP, TP, and COD were 0.74, 0.73, 0.47, 0.84, and 0.52, respectively. The relationships were tested on an independent data set consisting of two samples from 19 additional streams. Coefficients of determination (r²) between measured and predicted data for the independent test data was 0.77, 0.52, 0.66, 0.64, 0.69, and 0.76 for stream flow, NO₃-N, TN, SRP, TP, and COD, respectively. Percentages of nutrient loads attributable to nonpoint-source loads ranged between 76% for TN to 92% for TP and COD, whereas those attributable to agricultural nonpoint source were about 15% for COD, 28% for TN, 34% for NO₃-N, 40% for TP, and 70% for SRP.

50 NAL Call. No.: 292.9 AM34
Evaluation of best management practices for controlling nonpoint pollution from silvicultural operations.
Lynch, J.A.; Corbett, E.S.
Minneapolis, Minn. : American Water Resources Association; 1990 Feb. Water resources bulletin v. 26 (1): p. 41-52; 1990 Feb. Includes references.

Language: English

Descriptors: Forest management; Water pollution; Water composition and quality; Clearcutting; Silviculture

51 NAL Call. No.: SB317.5.H68
An evaluation of extension programs to enhance water quality through nutrient management in the urban landscape.
Relf, P.D.; McKissack, D.
Alexandria, VA : American Society for Horticultural Science, c1991-; 1992 Apr. HortTechnology v. 2 (2): p. 245-247; 1992 Apr. Includes references.

Language: English

Descriptors: Maryland; Cabt; Cooperative extension service; Volunteers; Environmental education; Educational programs; Water quality; Water pollution; Fertilizers; Runoff; Mass media; Extension education; Technology transfer

52 NAL Call. No.: 290.9 Am32T
Evaluation of GLEAMS and PRZM for predicting pesticide leaching under field conditions.
Zacharias, S.; Heatwole, C.D.

St. Joseph, Mich. : American Society of Agricultural Engineers
1958-; 1994 Mar.
Transactions of the ASAE v. 37 (2): p. 439-451; 1994 Mar.
Includes references.

Language: English

Descriptors: Virginia; Cabt; Zea mays; No-tillage; Pesticides;
Leaching; Simulation models

Abstract: Pesticide simulation models, GLEAMS and PRZM, were evaluated for their ability to predict pesticide behavior using field data from a plot under no-till corn in the Coastal Plain region of Virginia. The models were evaluated in an uncalibrated mode as well as with adjustment of important hydrology parameters. The evaluation of model performance was based on graphical displays and statistical measures. Difference in evapotranspiration (ET) predictions by the two models caused the simulated results from their hydrology components to vary. Runoff and soil moisture measured in the field were predicted reasonably well after adjusting important hydrology parameters. Except for differences in magnitude, both models predicted the chemical concentration profiles similarly. Overall, GLEAMS represented pesticide behavior in soil better than PRZM. The models, GLEAMS and PRZM, performed well in predicting pesticide mass in the root zone, but were less reliable in predicting pesticide concentration distributions in soil. Model predictions of pesticide fate and transport were not greatly affected by changes in curve number and the water holding capacity of the soil.

53 NAL Call. No.: HD1761.A1M5 no.90-62
An evaluation of options for micro-targeting acquisition of cropping rights to reduce nonpoint source water pollution.
Kozloff, Keith
St. Paul, Minn. : University of Minnesota, Institute of Agriculture, Forestry and Home Economics, ; 1990.
vi, 99 p. : ill. ; 28 cm. (Staff paper P ; 90-62). October 1990. Includes bibliographical references (p. 95-99).

Language: English

54 NAL Call. No.: 290.9 AM3Ps (IR)
Evaluation of runoff and erosion models.
Wu, T.H.; Hall, J.A.; Bonta, J.V.
New York, N.Y. : American Society of Civil Engineers, c1983-; 1993 Mar. Journal of irrigation and drainage engineering v. 119 (2): p. 364-382; 1993 Mar. Includes references.

Language: English

Descriptors: Erosion; Runoff; Sediment yield; Measurement;
Simulation models

Evaluation of the accuracy and precision of annual phosphorus load estimates from two agricultural basins in Finland.

Rekolainen, S.; Posch, M.; Kamari, J.; Ekholm, P.

Amsterdam : Elsevier Scientific Publishers, B.V.; 1991 Nov.

Journal of hydrology v. 128 (1/4): p. 237-255; 1991 Nov.

Includes references.

Language: English

Descriptors: Finland; Agricultural land; Drainage; Runoff; Pollution; Phosphorus; Transport processes; Flow; Estimates; Sampling; Frequency; Monitoring; Mathematical models; Comparisons

Abstract: The accuracy and precision of phosphorus load estimates from two agricultural drainage basins in western Finland were evaluated, based on continuous flow measurements and frequent flow-proportional sampling of total phosphorus concentration during a 2 year period. The objective was to compare different load calculation methods and to evaluate alternative sampling strategies. An hourly data set of concentrations was constructed by linear interpolation, and these data were used in Monte Carlo runs for producing replicate data sets for calculating the accuracy and precision of load estimates. All estimates were compared with reference values computed from the complete hourly data sets. The load calculation methods based on summing the products of regularly sampled flows and concentrations produced the best precision, whereas the best accuracy was achieved using methods based on multiplying annual flow by flow-weighted annual mean concentration. When comparing different sampling strategies, concentrating sampling in high runoff periods (spring and autumn) was found to give better accuracy and precision than strategies based on regular interval sampling throughout the year. However, the best result was obtained by taking samples flow-proportionally within the highest peak flows plus additional regular interval (e.g. biweekly) samples outside these flow peaks. Using this strategy, which calls for automatic sampling equipment, accuracies better than 5% and precisions better than 10% can be achieved with only 30-50 samples per year.

Extending the RCWP knowledge base to future nonpoint source control projects. Robillard, P.D.

Washington, DC : U.S. Environmental Protection Agency; 1992.

Proceedings: the National RCWP Symposium : 10 years of controlling agricultural nonpoint source pollution : the RCWP experience : Sept 13-17, 1992, Orlando, Florida. p. 375-383; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Water quality; Pollution control

57

NAL Call. No.: 292.9 Am34

Forest practices as nonpoint sources of pollution in North America. Binkley, D.; Brown, T.C. Bethesda, Md. : American Water Resources Association; 1993 Sep. Water resources bulletin v. 29 (5): p. 729-740; 1993 Sep. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Canada; Cabt; Water pollution; Streams; Water quality; Forest influences; Forest management

Abstract: Forest management activities may substantially alter the quality of water draining forests, and are regulated as nonpoint sources of pollution. Important impacts have been documented, in some cases, for undesirable changes in stream temperature and concentrations of dissolved oxygen, nitrate-N, and suspended sediments. We present a comprehensive summary of North American studies that have examined the impacts of forest practices on each of these parameters of water quality. In most cases, retention of forested buffer strips along streams prevents unacceptable increases in stream temperatures. Current practices do not typically involve addition of large quantities of fine organic material to streams, and depletion of streamwater oxygen is not a problem; however, sedimentation of gravel streambeds may reduce oxygen diffusion into spawning beds in some cases. Concentrations of nitrate-N typically increase substantially after forest harvesting and fertilization, but only a few cases have resulted in concentrations approaching the drinking-water standard of 10 mg of nitrate- N/L. Road construction and harvesting increase suspended sediment concentrations in streamwater, with highly variable results among regions in North America. The use of best management practices usually prevents unacceptable increases in sediment concentrations, but exceptionally large responses (especially in relation to intense storms) are not unusual.

58

NAL Call. No.: 99.8 F768

Forest water quality protection: a comparison of regulatory and voluntary programs. Hawks, L.J.; Cabbage, F.W.; Haney, H.L. Jr; Shaffer, R.M.; Newman, D.H. Bethesda, Md. : Society of American Foresters; 1993 May. Journal of forestry v. 91 (5): p. 48-54; 1993 May. Includes references.

Language: English

Descriptors: Maryland; Virginia; Forests; Water quality; Legislation; Resource conservation

59

NAL Call. No.: 282.9 G7992

Forestry's role in clean water.

Strickler, J.K.
Lincoln, Neb. : The Council; 1990.
Proceedings - Great Plains Agricultural Council. p. 43-46;
1990.

Language: English

Descriptors: Kansas; Water quality; Forestry; Riparian forests

60 NAL Call. No.: Z6004.S94S76 1991
Freshwater wetlands, urban stormwater, and nonpoint pollution
control a literature review and annotated bibliography., 2nd
ed., rev. and updated.. Stockdale, Erik C.
Washington (State), Dept. of Ecology
Olympia, WA : Washington State Dept. of Ecology,; 1991.
v, 267 p. : ill. ; 28 cm. February 1991.

Language: English

Descriptors: Wetlands; Urban runoff; Water; Water quality
management

61 NAL Call. No.: 290.9 AM32P
GIS-based watershed rankings for nonpoint pollution in
Pennsylvania. Hamlett, J.M.; Petersen, G.W.; Russo, J.;
Miller, D.A.; Baumer, G.M.; Day, R.L.
St. Joseph, Mich. : The Society; 1990.
Paper - American Society of Agricultural Engineers (90-2619):
16 p.; 1990. Paper presented at the "1990 International Winter
Meeting," December 18-21, 1990, Chicago, Illinois. Includes
references.

Language: English

Descriptors: Pennsylvania; Watersheds; Water pollution;
Information systems

62 NAL Call. No.: S605.5.A43
Ground water contamination from agricultural sources:
implications for voluntary policy adherence from Iowa and
Virginia farmers' attitudes. Halstead, J.M.; Padgitt, S.;
Batie, S.S.
Greenbelt, Md. : Institute for Alternative Agriculture; 1990.
American journal of alternative agriculture v. 5 (3): p.
126-133; 1990. Includes references.

Language: English

Descriptors: Iowa; Virginia; Groundwater pollution;
Contamination; Agricultural chemicals; Dairy wastes; Water
quality; Farmers' attitudes; Questionnaires; Interviews; Farm
management; Public opinion; Risk; Health hazards;
Environmental impact; Economic impact; Crop production; Dairy
farming; Agricultural policy; Programs; Incentives

Abstract: Contamination of ground water from agricultural sources has been documented in a majority of the contiguous United States. In this study, we examine the potential for voluntary adoption of management practices that reduce risk of ground water contamination and discuss how farm operators' attitudes regarding the environment might affect the success of voluntary programs. Farmers' behavior and attitudes in Rockingham County, Virginia, and Big Spring Basin, Iowa, reveal that both groups consider the ground water issue to be a serious problem to which they are contributing. This awareness is a significant first step in prompting consideration of management practices that reduce the threat to ground water quality. We also found that the worst offenders"--that is, farmers applying nitrogen well above agronomic recommendations--were those with the least concern about the problem. If major shifts in farming practices are to occur voluntarily, major incentives or disincentives are needed. Even though the concern about ground water quality is high, the documented risks perceived by farmers are not strongly convincing. The economic incentives for change are questionable at best. Voluntary adoption of best management practices is only one of several policy options. Ultimately, policies designed to reduce ground water contamination may need a mix of strategies, including economic incentives and disincentives, zoning and land use restrictions, environmental regulations, and bans on agricultural chemicals.

63

NAL Call. No.: S590.C63

Ground water nonpoint source management in Nebraska.

Link, M.

New York, N.Y. : Marcel Dekker; 1992.

Communications in soil science and plant analysis v. 23

(17/20): p. 2135-2150; 1992. In the Special Issue:

International symposium on soil testing and plant analysis in the global community. Paper presented at the second international symposium, August 22-27, 1991, Orlando, Florida. Includes references.

Language: English

Descriptors: Nebraska; Groundwater pollution; Programs; State government; Water quality; Nitrate; Contamination

64

NAL Call. No.: 292.8 W295

Groundwater as a nonpoint source of atrazine and deethylatrazine in a river during base flow conditions.

Squillace, P.J.; Thurman, E.M.; Furlong, E.T.

Washington : American Geophysical Union, 1965-; 1993 Jun.

Water resources research v. 29 (6): p. 1719-1729; 1993 Jun.

Includes references.

Language: English

Descriptors: Iowa; Cabt; Atrazine; Metabolites; Groundwater;

River water; Rivers; Discharge; Water flow; Aquifers; Water pollution

Abstract: Alluvial groundwater adjacent to the main stem river is the principal nonpoint source of atrazine and deethylatrazine in the Cedar River of Iowa after the river has been in base flow conditions for 5 days. Between two sites along a 116-km reach of the Cedar River, tributaries contributed about 25% of the increase in the atrazine and deethylatrazine load, whereas groundwater from the alluvial aquifer contributed at least 75% of the increase in load. Within the study area, tributaries aggregate almost all of the discharge from tile drains, and yet the tributaries still only contribute 25% of the increase in loads in the main stem river. At an unfarmed study site adjacent to the Cedar River, the sources of atrazine and deethylatrazine in the alluvial groundwater are bank storage of river water and groundwater recharge from areas distant from the river. Atrazine and deethylatrazine associated with bank storage water will provide larger concentrations to the river during early base flow conditions. After the depletion of bank storage, stable and smaller concentrations of atrazine and deethylatrazine, originating from groundwater recharge, continue to be discharged from the alluvial aquifer to the river; thus these results indicate that alluvial aquifers are an important nonpoint source of atrazine and deethylatrazine in rivers during base flow.

65

NAL Call. No.: 292.9 AM34

Groundwater discharge and its impact on surface water quality in a Chesapeake Bay inlet.

Reay, W.G.; Gallagher, D.L.; Simmons, G.M. Jr

Bethesda, Md. : American Water Resources Association; 1992

Nov. Water resources bulletin v. 28 (6): p. 1121-1134; 1992

Nov. Includes references.

Language: English

Descriptors: Virginia; Groundwater; Discharge; Surface water; Interactions; Sediment; Seepage; Nitrogen; Phosphorus; Agricultural land; Land use; Water quality; Water pollution; Estuaries; Seasonal fluctuations

Abstract: Surface water, groundwater, and groundwater discharge quality surveys were conducted in Cherrystone Inlet, on Virginia's Eastern Shore. Shallow groundwater below agricultural fields had nitrate concentrations significantly higher than inlet surface waters and shallow groundwater underlying forested land. This elevated nitrate groundwater discharged to adjacent surface waters. Nearshore discharge rates of water across the sediment-water interface ranged from 0.02 to 3.69 liters. m⁻².hr⁻¹ during the surveys. The discharge was greatest nearshore at low tide periods, and decreased markedly with increasing distance offshore. Vertical hydraulic heads, Eh, and inorganic nitrogen flux in the sediments followed similar patterns. Nitrate was the

predominant nitrogen species discharged nearshore adjacent to agricultural land use, changing to ammonium farther offshore. Sediment nitrogen fluxes were sufficient to cause observable impacts on surface water quality; nitrate concentrations were up to 20 times greater in areas of groundwater discharge than in the main stem inlet water. Based on DIN:DIP ratios, nitrogen contributions from direct groundwater discharge and tidal creek inputs appear to be of significant ecological importance. This groundwater discharge links land use activity and the quality of surface water, and therefore must be considered in selection of best management practices and water quality management strategies.

66

NAL Call. No.: aS21.R44A7

Groundwater quality modeling for agricultural nonpoint sources. Bogardi, I.; Fried, J.J.; Frind, E.; Kelly, W.E.; Rijtema, P.E. Beltsville, Md. : The Service; 1990 Jun. ARS - U.S. Department of Agriculture, Agricultural Research Service (81): p. 227-252; 1990 Jun. Paper presented at the International Symposium on Water Quality Modeling of Agricultural Non-Point Sources, part 1, June 19-23, 1988, Logan, Utah. Includes references.

Language: English

Descriptors: Groundwater; Groundwater pollution; Models; Agricultural chemicals; Leaching

67

NAL Call. No.: KF3787.25.U55 1993

Guidance specifying management measures for sources of nonpoint pollution in coastal waters issued under the authority of Section 6217(g) of the Coastal Zone Act Reauthorization Amendments of 1990. United States. Environmental Protection Agency; United States, Environmental Protection Agency, Office of Water Washington, DC : U.S. Environmental Protection Agency, Office of Water,; 1993. 1 v. (various pagings) : ill. ; 28 cm. January 1993. EPA 840-B-92-002. Includes bibliographical references.

Language: English

Descriptors: Water; Coastal zone management; Marine pollution; Nonpoint source pollution

68

NAL Call. No.: 292.9 AM34

Herbicide and nitrate variation in alluvium underlying a corn field at a site in Iowa County, Iowa. Kalkhoff, S.J.; Detroy, M.G.; Cherryholmes, K.L.; Kuzniar, R.L. Bethesda, Md. : American Water Resources Association; 1992 Nov. Water resources bulletin v. 28 (6): p. 1001-1011; 1992 Nov. Includes references.

Language: English

Descriptors: Iowa; Maize soils; Agricultural land; Alluvium; Aquifers; Agricultural chemicals; Cyanazine; Alachlor; Atrazine; Nitrates; Vertical movement; Seasonal variation; Pollution

Abstract: A hydrologic investigation to determine vertical and seasonal variation of atrazine, alachlor, cyanazine, and nitrate at one location and to relate the variation to ground-water movement in the Iowa River alluvium was conducted in Iowa County, Iowa, from March 1986 to December 1987. Water samples were collected at discrete intervals through the alluvial sequence from the soil zone to the base of the aquifer. Alachlor, atrazine, and cyanazine were detected most frequently in the soil zone but also were present in the upper part of the alluvial aquifer. Alachlor was detected sporadically, whereas, atrazine, cyanazine, and nitrate were present throughout the year. In the alluvial aquifer, the herbicides generally were not detected during 1986 and were present in detectable concentrations for only a short period of time in the upper 1.6 meters of the aquifer during 1987. Nitrate was present throughout the alluvium and was stratified in the alluvial aquifer. The largest nitrate concentrations were detected in the middle part of the aquifer. Nitrate concentrations were variable only in the upper 2 meters of the aquifer. Vertical movement of herbicides and nitrate in the soil correlated with precipitation and degree of saturation. A clay layer retarded vertical movement of atrazine but not nitrate from the soil layer to the aquifer. Vertical movement could not account for the chemical variation in the alluvial aquifer.

69

NAL Call. No.: TD420.A1E5

Herbicide transport in rivers: importance of hydrology and geochemistry in nonpoint-source contamination.
Squillace, P.J.; Thurman, E.M.
Washington, D.C. : American Chemical Society; 1992 Mar.
Environmental science & technology v. 26 (3): p. 538-545; 1992 Mar. Includes references.

Language: English

Descriptors: Iowa; Minnesota; Herbicide residues; Water pollution; River water; Groundwater pollution; Concentration; Models; Overland flow

70

NAL Call. No.: 292.9 AM34

Hydrologic response of an agricultural watershed to various hydrologic and management conditions.
Razavian, D.
Minneapolis, Minn. : American Water Resources Association; 1990 Oct. Water resources bulletin v. 26 (5): p. 777-785. maps; 1990 Oct. Includes references.

Language: English

Descriptors: Nebraska; Watersheds; Agricultural land;
Pollution; Tillage; Erosion; Sediment yield; Runoff; Catchment
hydrology; Climatic factors; Crop management; Simulation
models

Abstract: The hydrologic responses from an agricultural watershed in southeast Nebraska were investigated under an array of physiographic, hydrologic, meteorologic, and management conditions. For analytical purposes, the hydrologic responses were narrowed to include only runoff and sediment yield. The study was performed by utilizing the ANSWERS (Area Nonpoint Source Watershed Environment Response Simulation) hydrologic-simulation model. Results of this study indicate that, generally, nonstructural (agronomic) Best Management Practices (BMPs) have a more significant impact in controlling erosion and nonpoint-source pollution than structurally oriented BMPs. The percentage of reduction in average soil loss as a result of changing tillage systems from conventional to chisel plow was in the mid-40s. The corresponding percentages of reduction in sediment yield from the watershed under minimum tillage and no-till systems were in the mid-60s and mid-80s, respectively. The impact of these management strategies on runoff varied considerably. That is primarily based on the watershed's antecedent soil moisture condition, land use, and the growth stage of crops. Generally, an intense, short, thunderstorm type of rainfall event had more relative impact on runoff, and therefore sediment yield than a long, gentle, and steady event.

71 NAL Call. No.: TD427.A35S74 1992
Idaho Snake-Payette rivers hydrologic unit ground water
quality assessment, West central Idaho Idaho Snake-Payette
rivers hydrologic unit planning project, agricultural nonpoint
source ground water quality assessment. Steed, Robert; Winter,
Gerry; Cardwell, John
Idaho, Division of Environmental Quality
Boise : Idaho Dept. of Health and Welfare, Division of
Environmental Quality,; 1992.
iii, 48 p. : ill., maps (some col.) ; 28 cm. (Ground water
quality technical report ; no. 3). "IDHW-50, 8/92 48-44-253"-
-Cover. Includes bibliographical references (p. 24-25).

Language: English; English

Descriptors: Agricultural chemicals; Groundwater; Nonpoint
source pollution

72 NAL Call. No.: 290.9 Am32P
Identifying and managing nonpoint source pollution.
Warriner, M.R.
St. Joseph, Mich. : American Society of Agricultural
Engineers,; 1993. Paper / (932043): 8 p.; 1993. Paper
presented at the "1993 International Summer Meeting sponsored
by The American Society of Agricultural Engineers, and The

Canadian Society of Agricultural Engineering," June 20-23, 1993, Spokane, Washington. Includes references.

Language: English

Descriptors: Pollution; Runoff water; Water quality; Waste water

73 NAL Call. No.: S601.A34
The impact of fertilizer application techniques on nitrogen yield from two tillage systems.
Mostaghimi, S.; Younos, T.M.; Tim, U.S
Amsterdam : Elsevier; 1991 Jun14.
Agriculture, ecosystems and environment v. 36 (1/2): p. 13-22; 1991 Jun14. Includes references.

Language: English

Descriptors: Virginia; Agricultural land; Hapludults; Silt loam soils; Nitrogen; Losses from soil systems; Sediment; Runoff; Water pollution; No-tillage; Tillage; Nitrogen fertilizers; Subsurface application; Application methods; Artificial precipitation; Rain; Yields; Nitrate nitrogen; Ammonium nitrogen; Kjeldahl method; Eutrophication; Surface water; Movement in soil

74 NAL Call. No.: S590.C63
Impact of rainfall and tillage systems on off-site herbicide movement. Shaw, D.R.; Smith, C.A.; Hariston, J.E.
New York, N.Y. : Marcel Dekker; 1992.
Communications in soil science and plant analysis v. 23 (15/16): p. 1843-1858; 1992. Includes references.

Language: English

Descriptors: Glycine max; Cropping systems; Tillage; Conservation tillage; Herbicides; Losses from soil; Runoff; Water pollution

75 NAL Call. No.: S494.5.S86S8
Impacts of uncertainty on policy costs of managing nonpoint source ground water contamination.
Halstead, J.M.; Batie, S.S.; Taylor, D.B.; Heatwole, C.D.; Diebel, P.L.; Kramer, R.A.
Binghamton, N.Y. : Food Products Press; 1991.
Journal of sustainable agriculture v. 1 (4): p. 29-48; 1991. Includes references.

Language: English

Descriptors: Virginia; Groundwater pollution; Nitrates; Stochastic models; Stochastic programming; Agricultural policy; Costs

76

NAL Call. No.: 290.9 AM32T

The importance of precise rainfall inputs in nonpoint source pollution modeling.

Rudra, R.P.; Dickinson, W.T.; Ew, E.L. von

St. Joseph, Mich. : American Society of Agricultural

Engineers; 1993 Mar. Transactions of the ASAE v. 36 (2): p.

445-450; 1993 Mar. Includes references.

Language: English

Descriptors: Ontario; Agricultural wastes; Losses from soil; Models; Pollutants; Rain; Soil properties

Abstract: Rainfall data provide a prime input in nonpoint source pollution (nps) modeling. The sensitivity of model outputs to variations in the time step selected for rainfall data has been explored for two nps models, a field-scale continuous model, and an event-based watershed-scale model, for the temperate climatic conditions of Southern Ontario, Canada. This study has revealed that model outputs regarding runoff, soil loss and sediment yield, and calibrated parameters representing soil hydraulic properties and erosion characteristics are extremely sensitive to small variations in the rainfall time step. Model users must use caution therefore to take these variations into account during the calibration and application of such models.

77

NAL Call. No.: 290.9 AM32T

The influence of subsurface drainage practices on herbicide

losses. Bengtson, R.L.; Southwick, L.M.; Willis, G.H.; Carter,

C.E. St. Joseph, Mich. : American Society of Agricultural

Engineers; 1990 Mar. Transactions of the ASAE v. 33 (2): p.

415-418; 1990 Mar. Includes references.

Language: English

Descriptors: Atrazine; Metolachlor; Water pollution; Subsurface drainage

78

NAL Call. No.: TD420.A1P7

Integrating water quality modeling with ecological risk assessment for nonpoint source pollution control: a conceptual framework. Chen, Y.D.; McCutcheon, S.C.; Rasmussen, T.C.; Nutter, W.L.; Carsel, R.F. Oxford ; New York : Pergamon Press, c1981-; 1993.

Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p.

431-440; 1993. Paper presented at the IAWQ First

International Conference on "Diffuse (Nonpoint) Pollution:

Sources, Prevention, Impact, Abatement." September 19-24,

1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water quality; Protection;
Pollution control; Ecology; Risk; Assessment; Models

79 NAL Call. No.: 282.8 J82
Land retirement as a tool for reducing agricultural nonpoint
source pollution. Ribaud, M.O.; Osborn, C.T.; Konyar, K.
Madison, Wis. : University of Wisconsin Press; 1994 Feb.
Land economics v. 70 (1): p. 77-87; 1994 Feb. Includes
references.

Language: English

Descriptors: U.S.A.; Cabt; Water pollution; Land diversion;
Pollution control; Agricultural land; Social costs;
Mathematical models

80 NAL Call. No.: HD1761.A1M5 no.90-31
Land use and incentive schemes for nonpoint pollution control
in a spatial equilibrium setting.
Graham-Tomasi, Theodore
St. Paul, Minn. : University of Minnesota, Institute of
Agriculture, Forestry and Home Economics; 1990.
31 p. ; 28 cm. (Staff paper P ; 90-31). April 1990. Includes
bibliographical references (p. 31).

Language: English

81 NAL Call. No.: 100 Or3M no.898
Land use and nonpoint source phosphorus pollution in the
Tualatin Basin, Oregon a literature review.. A literature
review : land use and nonpoint phosphorus pollution in the
Tualatin Basin, Oregon
Wolf, Donald W.
Oregon State University, Water Resources Research Institute,
Oregon State University, Extension Service
Corvallis, Or. : Water Resources Research Institute : Oregon
State University Extension Service; 1992; HEO/Ex8.4Sp3:898.
iv, 63 p. : ill. ; 28 cm. (Tualatin River Basin water
resources management report ; no. 1; Special report (Oregon
State University. Extension Service) ; 898.). Cover title: A
literature review : land use and nonpoint phosphorus pollution
in the Tualatin Basin, Oregon. "June 1992"--Cover. Includes
bibliographical references (p. 47-63).

Language: English; English

Descriptors: Water; Phosphorus; Water quality

82 NAL Call. No.: HC79.E5E5
Land use change in California, USA: nonpoint source water
quality impacts. Charbonneau, R.; Kondolf, G.M.
New York, N.Y. : Springer-Verlag; 1993 Jul.
Environmental management v. 17 (4): p. 453-460; 1993 Jul.

Includes references.

Language: English

Descriptors: California; Land use; Water quality;
Environmental impact; Erosion; Land diversion; Farmland;
Watershed management; Water pollution

83

NAL Call. No.: 292.9 Am34

Laws and programs for controlling nonpoint source pollution in forest areas. Brown, T.C.; Brown, D.; Binkley, D. Bethesda, Md. : American Water Resources Association; 1993 Jan. Water resources bulletin v. 29 (1): p. 1-13; 1993 Jan. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water pollution; Water quality;
Pollution control; Monitoring; Legislation; Programs; State government; Federal government

Abstract: Recent federal legislation strengthened nonpoint source pollution regulations and helped to support and standardize pollution control efforts. A comprehensive review of current state and federal programs for forest areas reveals a substantial increase in agency water quality protection activities. These new efforts emphasize monitoring to assess the use and effectiveness of best management practices (BMPs). Recent monitoring reveals that BMP use is increasing and that such use typically maintains water quality within standards. However, information is generally lacking about the cost effectiveness of BMP programs. Carefully designed and executed monitoring is the key to better specification of BMPs and more cost effective water quality protection.

84

NAL Call. No.: 56.8 J822

Low-input agriculture reduces nonpoint-source pollution. Weinberg, A.C. Ankeny, Iowa : Soil and Water Conservation Society of America; 1990 Jan. Journal of soil and water conservation v. 45 (1): p. 48-50. ill; 1990 Jan. Includes references.

Language: English

Descriptors: Agriculture; Sustainability; Environmental impact; Soil conservation; Water conservation

85

NAL Call. No.: 56.8 J822

Making a difference agencies can, will, do work together to solve nonpoint source pollution problems. Valentine, J.; Carochi, J. Ankeny, Iowa : Soil Conservation Society of America, 1946-; 1993 Sep. Journal of soil and water conservation v. 48 (5): p. 401-406; 1993 Sep. Includes references.

Language: English

Descriptors: Colorado; Cabt; Streams; Trout; Habitats;
Watershed management; Water pollution; Control; Working plans;
Erosion control; Geological sedimentation; State government;
Federal government; Public agencies; Usda; Cooperation;
Problem solving

86

NAL Call. No.: 290.9 Am32P

Managing agricultural chemicals in groundwater.

Jones, R.L.

St. Joseph, Mich. : American Society of Agricultural
Engineers,; 1991. Paper / (911067): 11 p.; 1991. Paper
presented at the "1991 International Summer Meeting sponsored
by the American Society of Agricultural Engineers," June
23-26, 1991, Albuquerque, New Mexico. Includes references.

Language: English

Descriptors: Groundwater pollution; Agricultural chemicals;
Water management; Leaching

87

NAL Call. No.: QH540.J6

Managing agricultural phosphorus for protection of surface
waters: issues and options.

Sharpley, A.N.; Chapra, S.C.; Wedepohl, R.; Sims, J.T.;
Daniel, T.C.; Reddy, K.R.

Madison : American Society Of Agronomy,; 1994 May.

Journal of environmental quality v. 23 (3): p. 437-451; 1994
May. Includes references.

Language: English

Descriptors: Phosphorus; Pollution; Soil management; Crop
management; Losses from soil; Eutrophication; Runoff; Erosion;
Soil fertility; Manures; Pollution control; Watershed
management

Abstract: The accelerated eutrophication of most freshwaters
is limited by P inputs. Nonpoint sources of P in agricultural
runoff now contribute a greater portion of freshwater inputs,
due to easier identification and recent control of point
sources. Although P management is an integral part of
profitable agrisystems, continued inputs of fertilizer and
manure P in excess of crop requirements have led to a build-up
of soil P levels, which are of environmental rather than
agronomic concern, particularly in areas of intensive crop and
livestock production. Thus, the main issues facing the
establishment of economically and environmentally sound P
management systems are the identification of soil P levels
that are of environmental concern; targeting specific controls
for different water quality objectives within watersheds; and
balancing economic with environmental values. In developing
effective options, we have brought together agricultural and

limnological expertise to prioritize watershed management practices and remedial strategies to mitigate nonpoint-source impacts of agricultural P. Options include runoff and erosion control and P-source management, based on eutrophic rather than agronomic considerations. Current soil test P methods may screen soils on which the aquatic bioavailability of P should be estimated. Landowner options to more efficiently utilize manure P include basing application rates on soil vulnerability to P loss in runoff, manure analysis, and programs encouraging manure movement to a greater hectareage. Targeting source areas may be achieved by use of indices to rank soil vulnerability to P loss in runoff and lake sensitivity to P inputs.

88

NAL Call. No.: TD420.W374

Managing agricultural pollution using a linked geographical information system and non-point source pollution model. Morse, G.; Eatherall, A.; Jenkins, A. London : The Institution,; 1994 Jun. Water and environmental management : journal of the Institution of Water and Environmental Management v. 8 (3): p. 277-286; 1994 Jun. Includes references.

Language: English

Descriptors: Pollution; Agriculture; Simulation models; Geographical information systems; Computer software; Prediction

Abstract: This study documents the development of a link between a geographical information system (GIS) and a non-point source pollution model. The GIS ARC/INFO was linked to the agricultural non-point source pollution model and ORACLE data sources. Application of the system is demonstrated using the Bedford-Ouse catchment as a suitable case study. Water quality impacts are predicted from source data describing topography, soils, land use and river network. The model results were in agreement with observed nitrate concentrations at the catchment outlet, and more appropriate data sources are considered to be the main priority for improving model predictive ability. Management scenarios were established to assess the impact of changing agricultural management practices on predicted water quality. The approach has significant potential for the management of agricultural pollution in the UK.

89

NAL Call. No.: aZ5071.N3

Managing nonpoint sources of pollution--January 1982-July 1990. Kuske, J. Beltsville, Md. : The Library; 1991 Mar. Quick bibliography series - U.S. Department of Agriculture, National Agricultural Library (U.S.). (91-50): 66 p.; 1991 Mar. Bibliography.

Language: English

Descriptors: Pollution; Sources; Management; Bibliographies

90 NAL Call. No.: 56.8 J822
Marginal cost effectiveness analysis for agricultural nonpoint source water quality control.
Walker, D.J.; Calkins, B.L.; Hamilton, J.R.
Ankeny, Iowa : Soil and Water Conservation Society of America; 1993 Jul. Journal of soil and water conservation v. 48 (4): p. 368-372; 1993 Jul. In the special edition: The next generation of U.S. agricultural conservation policy. Paper presented at the conference "The Next Generation of U.S. Agricultural Policy", March 14-16, Kansas City, Missouri. Includes references.

Language: English

Descriptors: Water quality; Water pollution; Pollution control; Sediment; Marginal analysis; Cost effectiveness analysis; Farm management; Furrow irrigation; Return flow

91 NAL Call. No.: TD420.A1P7
Market and bargaining approaches to nonpoint source pollution abatement problems.
Netusil, N.R.; Braden, J.B.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 35-45; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water pollution; Sources; Agricultural land; Erosion; Sediment yield; Erosion control; Costs; Contracts; Marketing techniques

92 NAL Call. No.: 275.29 M36B
Maryland farmers' adoption of best management practices for nonpoint source pollution control.
Lichtenberg, E.; Lessley, B.V.; Howar, H.D.
College Park, Md. : The Service; 1990-1991.
Bulletin - Cooperative Extension Service, University of Maryland (345): 17 p.; 1990-1991. Includes references.

Language: English

Descriptors: Maryland; Water pollution; Water quality; Farm management; Runoff; Soil chemistry; Cost analysis

93 NAL Call. No.: 292.8 W295

Metamodels and nonpoint pollution policy in agriculture.
Bouzaher, A.; Lakshminarayan, P.G.; Cabe, R.; Carriquiry, A.;
Gassman, P.W.; Shogren, J.F.
Washington : American Geophysical Union, 1965-; 1993 Jun.
Water resources research v. 29 (6): p. 1579-1587; 1993 Jun.
Includes references.

Language: English

Descriptors: Herbicides; Agricultural chemicals; Groundwater;
Surface water; Water pollution; Water quality; Simulation
models; Statistical analysis

Abstract: Complex mathematical simulation models are generally used for quantitative measurement of the fate of agricultural chemicals in soil. But it is less efficient to use them directly for regional water quality assessments because of the large number of simulations required to cover the entire region and because the entire set of simulation runs must be repeated for each new policy. To make regional water quality impact assessment on a timely basis, a simplified technique called metamodeling is suggested. A metamodel summarizes the input-output relationships in a complex simulation model designed to mimic actual processes such as groundwater leaching. Metamodels are constructed and validated to predict groundwater and surface water concentrations of major corn and sorghum herbicides in the Corn Belt and Lake States regions of the United States. The usefulness of metamodeling in the evaluation of agricultural nonpoint pollution policies is illustrated using an integrated environmental economic modeling system. For the baseline scenario, we estimate that 1.2% of the regional soils will lead to groundwater detection of atrazine exceeding 0.12 micrograms/L, which compares well with the findings of an Environmental Protection Agency monitoring survey. The results suggest no-till practices could significantly reduce surface water concentration and a water quality policy, such as an atrazine ban, could increase soil erosion despite the conservation compliance provisions.

94 NAL Call. No.: SB249.N6
Methods of controlling non-point source pollution from agricultural activity. Webster, K.T.
Memphis, Tenn. : National Cotton Council of America; 1993.
Proceedings - Beltwide Cotton Conferences. p. 516-518; 1993.
Meeting held January 10-14, 1993, New Orleans, Louisiana.
Includes references.

Language: English

Descriptors: Pollution control; Agricultural chemicals

95 NAL Call. No.: 56.8 J822
Methods to assess the water quality impact of a restored riparian wetland. Vellidis, G.; Lowrance, R.; Smith, M.C.;

Hubbard, R.K.
Ankeny, Iowa : Soil and Water Conservation Society of America;
1993 May. Journal of soil and water conservation v. 48 (3): p.
223-230; 1993 May. Includes references.

Language: English

Descriptors: Georgia; Water pollution; Animal wastes;
Bioremediation; Water quality; Runoff; Riparian forests;
Wetlands; Reclamation; Pollution control

96 NAL Call. No.: 292.8 W295
Microtargeting the acquisition of cropping rights to reduce
nonpoint source water pollution.
Kozloff, K.; Taff, S.J.; Wang, Y.
Washington, D.C. : American Geophysical Union; 1992 Mar.
Water resources research v. 28 (3): p. 623-628; 1992 Mar.
Includes references.

Language: English

Descriptors: Minnesota; Agricultural land; Land use; Land
management; Watersheds; Water pollution; Water quality;
Erosion; Sediment yield; Simulation models; Cost effectiveness
analysis

Abstract: Targeting cropland retirement programs to reduce
agricultural nonpoint source pollution is accomplished by
employing disaggregated information about physical and
economic factors that influence the benefits and costs of
adopting specific erosion control practices on specific land
parcels. The agricultural nonpoint source (AGNPS) model is
used in a Minnesota watershed to simulate the relative
effectiveness of alternative targeting schemes with respect to
budget outlays for annual payments to landowners, reduction in
downstream sediment yield and nutrient loss, and reduction in
on-site erosion. Cost-effectiveness increased with information
on economic factors (the opportunity cost of retiring a parcel
of land) as well as on physical factors (contribution of a
parcel to downstream sediment yield). The marginal cost-
effectiveness of all schemes decreased as the enrolled
proportion of watershed land increased.

97 NAL Call. No.: TD224.M6M577 1992
Minnesota nonpoint source management progress in federal
fiscal year 1992 the 1992 report to U.S. Environmental
Protection Agency.
Minnesota Pollution Control Agency; United States,
Environmental Protection Agency
St. Paul : The Agency, ; 1992.
238 p. : maps ; 28 cm.

Language: English

Descriptors: Water quality management; Nonpoint source

pollution

98 NAL Call. No.: QH540.N3
Mitigating nonpoint-source nitrate pollution by riparian-zone denitrification. Schipper, L.A.; Cooper, A.B.; Dyck, W.J. Berlin, W. Ger. : Springer-Verlag; 1991.
NATO ASI series : Series G : Ecological sciences v. 30: p. 401-413; 1991. In the series analytic: Nitrate contamination: Exposure, consequence, and control / edited by I. Bogardi and R.D. Kuzelka. Proceedings of the NATO Advanced Research Workshop on Nitrate Contamination: Exposure, Consequences, and Control, September 9-14, 1990, Lincoln, Nebraska. Includes references.

Language: English

Descriptors: Nitrate; Nitrate fertilizers; Water pollution; Runoff; Drainage; Denitrification; Denitrifying microorganisms; Lakes; Rivers; Surface water; Soil types (ecological)

99 NAL Call. No.: QH540.J6
Modeling linked watershed and lake processes for water quality management decisions. Summer, R.M.; Alonso, C.V.; Young, R.A. Madison, Wis. : American Society of Agronomy; 1990 Jul. Journal of environmental quality v. 19 (3): p. 421-427; 1990 Jul. Includes references.

Language: English

Descriptors: Watersheds; Lakes; Agricultural land; Simulation models; Water quality; Sediment; Nitrogen; Phosphorus; Chlorophyll; Wetlands; Watershed management; Weather; Trends; Farming systems

Abstract: A physically based modeling approach is used to link watershed with lake processes and to simulate their responses to land management and weather conditions. Components of the watershed model, AGNPS (agricultural nonpoint-source model), are hydrology, erosion, sediment transport, transport of nitrogen and phosphorus, and chemical oxygen demand. Using a cellular structure, runoff, sediment, and chemical variables from the watershed provide input to a lake model. This one-dimensional model of water bodies simulates temperature stratification, mixing by wind, sedimentation, inflow density current, and algal growth. Unsteady advection-diffusion equations characterize the dynamics of suspended sediment, soluble and sediment-attached N and P, and chlorophyll. This model, AGNPS-LAKE, is driven by random generation of weather conditions on a daily basis. Resulting impacts of alternative management plans are simulated by changing agricultural practices and land use, thereby modifying inflow characteristics to a lake. Modeling capabilities are being tested on eutrophic lakes in Minnesota

for the purpose of simulating long-term trends and impacts of best management practices.

100 NAL Call. No.: aS21.R44A7
Modeling of agricultural nonpoint-source surface runoff and sediment yield--a review from the modeler's perspective. Leavesley, G.H.; Beasley, D.B.; Pionke, H.B.; Leonard, R.A. Beltsville, Md. : The Service; 1990 Jun.
ARS - U.S. Department of Agriculture, Agricultural Research Service (81): p. 171-194; 1990 Jun. Paper presented at the International Symposium on Water Quality Modeling of Agricultural Non-Point Sources, part 1, June 19-23, 1988, Logan, Utah. Includes references.

Language: English

Descriptors: Runoff water; Agricultural chemicals; Sediment; Nutrients; Pesticides; Models; Hydrology

101 NAL Call. No.: TD1.E2 no.91/039
Modeling of nonpoint source water quality in urban and non-urban areas. Donigian, Anthony S.; Huber, Wayne C. Environmental Research Laboratory (Athens, Ga.) Athens, Ga. : Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency; 1991. vi, 72 p. : ill. (EPA/600/3 ; 91/039). June 1991. Includes bibliographical references.

Language: English

Descriptors: Water

102 NAL Call. No.: 290.9 AM3PS (IR)
Movement of nonpoint-source contaminants through heterogeneous soils. Tracy, J.C. New York, N.Y. : American Society of Civil Engineers; 1992 Jan. Journal of irrigation and drainage engineering v. 118 (1): p. 88-103; 1992 Jan. Includes references.

Language: English

Descriptors: U.S.A.; Groundwater; Groundwater pollution; Pollutants; Movement in soil; Transport processes; Seepage; Soil water content; Simulation; Probabilistic models; Deterministic models; Comparisons

103 NAL Call. No.: SB482.A4U55 1994
National Park Service activities outside park borders have caused damage to resources and will likely cause more : report to the chairman, Subcommittee on National Parks, Forests, and Public Lands, Committee on Natural Resources, House of Representatives.. Activities outside park borders have caused damage to resources and will likely cause more

United States. General Accounting Office; United States, Congress, House, Committee on Natural Resources, Subcommittee on National Parks, Forests, and Public Lands
Washington, D.C. : The Office,; 1994; GA 1.13:RCED-94-59. 34 p. : ill., map ; 28 cm. Cover title. January 1994.
GAO/RCED-94-59. "B-255460"--P. 1. Includes bibliographical references.

Language: English; English

Descriptors: National parks and reserves; Transboundary pollution; Nonpoint source pollution

104 NAL Call. No.: TD424.8.N65
News-notes the condition of the environment and the control of nonpoint sources of water pollution.. News-notes (Nonpoint Source Information Exchange (U.S.))
United States, Environmental Protection Agency, Office of Water, Nonpoint Source Information Exchange (U.S.)
Washington, DC : Nonpoint Source Information Exchange, Assessment and Watershed Protection Division, Office of Wetlands, Oceans and Watersheds, Office of Water, U.S. Environmental Protection Agency,; 1991-1993; EP 2.2:N 42/. v. ; 28 cm. Issue #27 has title: NPS news-notes. Description based on: #16 (Oct.-Nov. 1991); title from caption.

Language: English; English

Descriptors: Nonpoint source pollution; Water quality; Watershed management

105 NAL Call. No.: QH540.N3
Nitrate ground-water modeling for agricultural and other nonpoint sources. Kelly, W.E.; Curtis, B.; Adelman, D. Berlin, W. Ger. : Springer-Verlag; 1991.
NATO ASI series : Series G : Ecological sciences v. 30: p. 97-113; 1991. In the series analytic: Nitrate contamination: Exposure, consequence, and control / edited by I. Bogardi and R.D. Kuzelka. Proceedings of the NATO Advanced Research Workshop on Nitrate Contamination: Exposure, Consequences, and Control, September 9-14, 1990, Lincoln, Nebraska. Includes references.

Language: English

Descriptors: Nebraska; Nitrate; Nitrate fertilizers; Groundwater pollution; Groundwater recharge; Farmland; Simulation models

106 NAL Call. No.: 290.9 Am32P
Nonpoint ground-water pollution potential in Pennsylvania. Deichert, L.A.; Hamlett, J.M.
St. Joseph, Mich. : American Society of Agricultural Engineers,; 1992. Paper / (922531): 25 p.; 1992. Paper

presented at the "1992 International Winter Meeting sponsored by the American Society of Agricultural Engineers," December 15-18, 1992, Nashville, Tennessee. Includes references.

Language: English

Descriptors: Pennsylvania; Cabt; Groundwater pollution; Models; Wells; Nitrates; Land use

107

NAL Call. No.: 44.8 J824

Nonpoint pollution from animal sources and shellfish sanitation. Stelma, G.N. Jr; McCabe, L.J. Ames, Iowa : International Association of Milk, Food, and Environmental Sanitarians; 1992 Aug. Journal of food protection v. 55 (8): p. 649-656; 1992 Aug. Literature review. Includes references.

Language: English

Descriptors: Shellfish; Food sanitation; Water pollution; Fecal flora; Epidemiology; Foodborne diseases; Literature reviews; Zoonoses

Abstract: Many of the microorganisms pathogenic to both animals and man are transmitted via the fecal-oral route. Most of these pathogens could conceivably be transmitted through a shellfish vector. Bacteria potentially transmitted from animal to man via shellfish include most of the salmonellae, *Yersinia enterocolitica*, *Yersinia pseudotuberculosis*, *Escherichia coli* 0157:H7, *Campylobacter jejuni*, and *Listeria monocytogenes*. The protozoa most likely to be transmitted this way are *Giardia lamblia* and *Cryptosporidium* spp. Because the enteric viruses are highly species-specific, they are not likely to be transmitted from animals to humans. There are environmental data showing that bacterial pathogens shed by both domestic and wild animals have been isolated from shellfish. However, there is little epidemiological evidence that illness outbreaks have been caused by shellfish harvested from waters polluted by animals. Unfortunately, epidemiological observations are of limited value because most illnesses are probably not recorded. In addition, more than half of the recorded outbreaks are of unknown etiology, and more than half of the shellfish implicated in illness outbreaks cannot be traced to their points of origin. More lenient bacteriological standards should not be established for waters affected only by animal pollution until health effects studies have been performed, and an indicator that differentiates between human and nonhuman fecal pollution is available. Most of the pollution that originates from domestic animals could be eliminated by simple and inexpensive measures.

108

NAL Call. No.: TD420.A1E5

Nonpoint source contamination of the Mississippi River and its tributaries by herbicides. Pereira, W.E.; Hostettler, F.D.

Washington, D.C. : American Chemical Society; 1993 Aug.
Environmental science & technology v. 27 (8): p. 1542-1552;
1993 Aug. Includes references.

Language: English

Descriptors: U.S.A.; River water; Water pollution; Herbicide residues

109 NAL Call. No.: TD420.A1P7
Nonpoint source evaluation for shellfish contamination in the
Santa Barbara Channel.
Kolb, H.E.; LaBuddle, G.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
177-181; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: California; Cabt; Shellfish; Microbial
contamination; Pollution; Sources; Water pollution

110 NAL Call. No.: TD424.8.N65
Nonpoint source news-notes.. Nonpoint source news-notes
(Washington, D.C. : 1993)
Terrene Institute
Washington, D. C. : Terrene Institute,; 1993-9999.
v. ; 28 cm. Description based on: #29 (May 1993); title from
caption.

Language: English; English

Descriptors: Nonpoint source pollution; Water quality;
Watershed management

111 NAL Call. No.: TD420.A1P7
Nonpoint source (NPS) pollution modeling using models
integrated with geographic information systems (GIS).
Engel, B.A.; Srinivasan, R.; Arnold, J.; Rewerts, C.; Brown,
S.J. Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
685-690; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Pollution; Sources; Watersheds;

Rain; Agricultural chemicals; Runoff water; Water pollution;
Water erosion; Geographical information systems; Models

112 NAL Call. No.: TD172.J6
Nonpoint source phosphorus loads to Delaware's lakes and
streams. Ritter, W.F.
New York, N.Y. : Marcel Dekker; 1992 May.
Journal of environmental science and health : Part A :
Environmental science and engineering v. 27 (4): p. 1007-1019;
1992 May. Includes references.

Language: English

Descriptors: Delaware; Lakes; Rivers; Water pollution;
Phosphorus; Watersheds; Farmland; Forest soils

113 NAL Call. No.: HC103.Z9W32 1991
Nonpoint source pollution.. Nonpoint source
Doyle, Paul; Morandi, Larry B.
National Conference of State Legislatures
Denver, Colo. : National Conference of State Legislatures,;
1991. 11 p. ; 28 cm. (Financing clean water.). Caption title.
"August 1991."--P. [4] of cover. Running title: Nonpoint
source. "Fourth in a series that presents state legislative
options to finance water programs."--P. [1]. Includes
bibliographical references (p. 10).

Language: English; English

Descriptors: Water quality management; Water, Underground;
Water

114 NAL Call. No.: 56.8 J822
Nonpoint source pollution impacts of alternative agricultural
management practice in Illinois: a simulation study.
Phillips, D.L.; Hardin, P.D.; Benson, V.W.; Baglio, J.V.
Ankeny, Iowa : Soil Conservation Society of America, 1946-;
1993 Sep. Journal of soil and water conservation v. 48 (5): p.
449-457; 1993 Sep. Includes references.

Language: English

Descriptors: Illinois; Cabt; Erosion; Carbon; Nutrient
balance; Rotations; Water pollution; No-tillage; Alternative
farming; Innovation adoption; Simulation models; Zea mays;
Glycine max; Crop yield; Nitrogen; Phosphorus; Runoff

115 NAL Call. No.: 290.9 Am32P
Nonpoint source pollution model for agricultural watersheds.
Borah, D.K.; Ashraf, M.S.
St. Joseph, Mich. : American Society of Agricultural
Engineers,; 1992. Paper / (922044): 24 p.; 1992. Paper
presented at the "1992 International Summer Meeting sponsored

by The American Society of Agricultural Engineers," June 21-24, 1992, Charlotte, North Carolina. Includes references.

Language: English

Descriptors: Water quality; Watersheds; Pollution

116 NAL Call. No.: KF3790.A5N66 1992
Nonpoint source water pollution causes, consequences, and cures. National Center for Agricultural Law Research and Information (U.S.), Arkansas Water Resources Research Center Fayetteville, Ark. : National Center for Agricultural Law Research and Information, University of Arkansas School of Law,; 1992. 1 v. (various pagings) : ill. ; 30 cm. At head of title: Conference handbook. "October 30-31, 1992"--T.p. Includes bibliographical references.

Language: English; English

Descriptors: Water; Water, Underground; Agricultural pollution; Agriculture

117 NAL Call. No.: TD223.A1N67 1992
Nonpoint source water quality contacts 1992 directory.. NPS directory Conservation Technology Information Center, United States, Soil Conservation Center West Lafayette, IN : The Center,; 1992. 20 p. ; 28 cm. Cover title. Running title: NPS directory. "Published with the assistance of the USDA Soil Conservation Service"--P. 20. State Soil and Water Conservation Agencies, State Water Quality Agencies, USDA Soil Conservation Service, Cooperative Extension Service, USDA Agricultural Stabilization & Conservation Service, State Coastal Zone Management Agencies, U.S. Environmental Protection Agency.

Language: English

Descriptors: Water quality; Water quality management; Water

118 NAL Call. No.: TD419.5.N66 1991
Nonpoint Source Watershed Workshop.. Nonpoint source solutions United States, Environmental Protection Agency, Office of Research and Development, United States, Environmental Protection Agency, Office of Water, Center for Environmental Research Information (U.S.), Eastern Research Group, Inc Nonpoint Source Watershed Workshop 1991 : New Orleans, La. Washington, D.C. : EPA,; 1991. vi, 209 p. : ill., maps ; 28 cm. (Seminar publication). "Technology transfer. "Nonpoint source solutions"--Cover. "United States Environmental Protection Agency, Office of Research and Development, Office of Water"--P. 1 of cover. "September 1, 1991. EPA/625/4-91/027. Includes bibliographical references.

Language: English

Descriptors: Water quality; Water; Watershed management

119

NAL Call. No.: TD419.R47

Nonpoint sources.

Spooner, J.; Coffey, S.W.; Brichford, S.L.; Arnold, J.A.;

Smolen, M.D.; Jennings, G.D.; Gale, J.A.

Alexandria, Va. : The Federation; 1991 Jun.

Research journal of the Water Pollution Control Federation v. 63 (4): p. 527-536; 1991 Jun. Literature review. Includes references.

Language: English

Descriptors: Water pollution; Groundwater; Surface water; Land use; Activity; Agricultural land; Forest soils; Urban areas; Economics; Planning; Water quality; Water resources; Models; Reviews

120

NAL Call. No.: TD419.R47

Nonpoint sources.

Line, D.E.; Osmond, D.L.; Coffey, S.W.; Arnold, J.A.; Gale,

J.A.; Spooner, J.; Jennings, G.D.

Alexandria, VA : Water Environment Federation; 1994 Jun.

Water environment research : a research publication of the Water Environment Federation v. 66 (4): p. 585-601; 1994 Jun. Includes references.

Language: English

Descriptors: Water pollution; Soil pollution; Water quality; Water resources; Pollutants; Pesticides; Biodegradation; Pollution control; Models; Monitoring; Literature reviews

121

NAL Call. No.: S671.A66

Nutrient losses through tile drains from two potato fields.

Madramootoo, C.A.; Wiyo, K.A.; Enright, P.

St. Joseph, Mich. : American Society of Agricultural

Engineers; 1992 Sep. Applied engineering in agriculture v. 8 (5): p. 639-646; 1992 Sep. Includes references.

Language: English

Descriptors: Quebec; Solanum tuberosum; Agricultural soils; Tile drainage; Nutrients; Losses from soil; Water pollution; Water quality

Abstract: Two tile-drained potato (*Solanum tuberosum* L.) fields, approximately 5 ha (12.35 ac) each, at St. Leonard d'Aston, Quebec, were instrumented to measure tile drain flow over two growing seasons (April to November). The soil type was a St. Jude sandy loam. Nitrogen (N), phosphorus (P), and

potassium (K) concentrations in tile drain flow were monitored throughout the growing seasons. Nitrogen concentrations ranging from 1.70 to 40.02 mg/L were observed. Phosphorus concentrations ranged from 0.002 to 0.052 mg/L. On one field, it was found that K concentrations were always less than 10 mg/L. However, on the other field, concentrations were mostly greater than 10 mg/L. At the end of the growing season, in the final year of the project, the total amounts of N which were removed by the subsurface drainage systems of the two fields were 14 kg/ha (12.5 lb/ac) and 70 kg/ha (62.5 lb/ac).

122 NAL Call. No.: S11.N672 Suppl. no.7
Okonomiske analyser av tiltak mot fosforavrenning fra dyrket mark = Economic analyses of measures against phosphorus runoff from nonpoint agricultural sources.. Economic analyses of measures against phosphorus runoff from nonpoint agricultural sources
Johnsen, Fred Hakon
As, Norge : Statens fagtjeneste for landbruket,; 1990.
118 p. : ill. ; 25 cm. (Norsk landbruksforskning = Norwegian agricultural research. Supplement ; no. 7). Summary and abstract in English. Includes bibliographical references (p. 113-118).

Language: Norwegian

123 NAL Call. No.: aS21.R44A7
Opus: an integrated simulation model for transport of nonpoint-source pollutants at the field scale: volume I. Documentation.
Smith, R.E.
Beltsville, Md. : The Service; 1992 Jul.
ARS - U.S. Department of Agriculture, Agricultural Research Service (98): 135 p.; 1992 Jul. Includes references.

Language: English

Descriptors: Pollution; Pollutants; Transport processes; Movement in soil; Hydrology; Computer simulation; Simulation models; Water flow; Meteorological factors; Growth models

124 NAL Call. No.: GB980.C53 1993
Paired watershed study design.
Clausen, John C.; Spooner, Jean
United States, Environmental Protection Agency, Office of Water Washington, D.C. : U.S. Environmental Protection Agency, Office of Water,; 1993.
8 p. : ill. ; 29 cm. Caption title. "Prepared by Dr. John C. Clausen ... and Dr. Jean Spooner"--P. 8. September 1993.
841-F-93-009. Includes bibliographical references (p. 8).

Language: English

Descriptors: Watersheds; Water quality; Nonpoint source

pollution

125

NAL Call. No.: 292.8 W295

Partitioning solute transport between infiltration and overland flow under rainfall.

Havis, R.N.; Smith, R.E.; Adrian, D.D.

Washington, D.C. : American Geophysical Union; 1992 Oct.

Water resources research v. 28 (10): p. 2569-2580; 1992 Oct.

Includes references.

Language: English

Descriptors: Pollutants; Solutes; Transport processes; Infiltration; Overland flow; Rain; Surface water; Soil depth; Interactions; Mathematical models; Field experimentation

Abstract: Solute transport from soil to overland flow is an important source of nonpoint pollution and was investigated through tracer studies in the laboratory and at an outdoor laboratory catchment. The depth of surface water interaction with soil, defined as the mixing zone is a useful value for approximate estimation of potential solute transport into surface water under rainfall. It was measured in the laboratory for a noninfiltration case (0.90 to 1.0 cm) and estimated through mass balance modeling for an infiltration case (0.52 and 0.73 cm). At an outdoor laboratory catchment, mixing zones were calculated through calibration of a numerical model that describes unsteady, uniform, infiltration and chemical transport. Overland flow was simulated using kinematic wave theory. Mixing zone depths ranged from 0.47 to 1.02 cm and were a linear function of rainfall intensity. Also, the fraction of solute present in the mixing zone at the time of ponding which was extracted into overland flow was a linear function of the initial soil moisture content. A steady state analytical approximation of the solute transport model was also developed which overpredicted solute transport into overland flow by 1 to 60%.

126

NAL Call. No.: 292.9 AM34

Patterns of periphyton chlorophyll a in an agricultural nonpoint source impacted stream.

Delong, M.D.; Brusven, M.A.

Bethesda, Md. : American Water Resources Association; 1992

Jul. Water resources bulletin v. 28 (4): p. 731-741; 1992 Jul.

Includes references.

Language: English

Descriptors: Idaho; Streams; Water pollution; Agriculture; Nutrients; Pollutants; Algae; Chlorophyll

Abstract: An agricultural nonpoint source polluted stream in northern Idaho was examined to determine seasonal and longitudinal patterns of periphyton chlorophyll alpha. Chlorophyll alpha was measured at eight sites along Lapwai

Creek, a fifth order stream impacted by agricultural runoff containing nutrients and eroded soils. Seasonally, periphyton chlorophyll alpha was lowest in the spring (cumulative $x(-) = 60.4 \text{ mg m}(-2)$) and highest in the summer (cumulative average = $222 \text{ mg m}(-2)$). Winter concentrations were higher than expected (cumulative average = $168.6 \text{ mg m}(-2)$). The headwaters, flowing through an open grassy meadow, had the lowest concentrations of the study (two-year average = $49.7 \text{ mg m}(-2)$). Immediately below a small, eutrophic reservoir, periphyton chlorophyll alpha increased markedly (two-year average = $155.8 \text{ mg m}(-2)$) and remained high through a deep canyon (two year average = $135.5 \text{ mg m}(-2)$) and down to the mouth of the stream (two-year average = $172.3 \text{ mg}(-2)$). Periphyton chlorophyll alpha in Lapwai Creek was at least two times greater than values reported in the literature for comparable, undisturbed Idaho streams. We suggest that increased nutrient concentrations via agricultural nonpoint source pollution and increased light penetration from the removal of large, woody riparian vegetation have resulted in high periphyton chlorophyll alpha along the continuum of Lapwai Creek.

127 NAL Call. No.: QH545.A1E58
Pesticide concentration patterns in agricultural drainage networks in the Lake Erie basin.
Richards, R.P.; Baker, D.B.
Tarrytown, N.Y. : Pergamon Press; 1993 Jan.
Environmental toxicology and chemistry v. 12 (1): p. 13-26; 1993 Jan. Includes references.

Language: English

Descriptors: Ohio; Pesticides; Water pollution; Trends; Agricultural land; Watersheds; Rivers; Runoff; Storms; Chemical properties; Application methods; Temporal variation; Variation; Pollutants; Land use; Water quality

128 NAL Call. No.: 292.8 J82
Pesticide residues in ground water of the San Joaquin Valley, California. Domagalski, J.L.; Dubrovsky, N.M.
Amsterdam : Elsevier Scientific Publishers, B.V.; 1992 Jan.
Journal of hydrology v. 130 (1/4): p. 299-338; 1992 Jan.
Includes references.

Language: English

Descriptors: California; Groundwater; Groundwater pollution; Pesticides; Pesticide residues; Leaching; Agricultural soils; Soil properties

Abstract: A regional assessment of non-point-source contamination of pesticide residues in ground water was made of the San Joaquin Valley, an intensively farmed and irrigated structural trough in central California. About 10% of the total pesticide use in the USA is in the San Joaquin Valley. Pesticides detected include atrazine, bromacil, 2,4-DP,

diazinon, dibromochloropropane, 1,2-dibromoethane, dicamba, 1.2-dichloropropane, diuron, prometon, prometryn, propazine and simazine. All are soil applied except diazinon. Pesticide leaching is dependent on use patterns, soil texture, total organic carbon in soil, pesticide half-life and depth to water table. Leaching is enhanced by flood-irrigation methods except where the pesticide is foliar applied such as diazinon. Soils in the western San Joaquin Valley are fine grained and are derived primarily from marine shales of the Coast Ranges. Although shallow ground water is present, the fewest number of pesticides were detected in this region. The fine-grained soil inhibits pesticide leaching because of either low vertical permeability or high surface area; both enhance adsorption on to solid phases. Soils of the valley floor tend to be fine grained and have low vertical permeability. Soils in the eastern part of the valley are coarse grained with low total organic carbon and are derived from Sierra Nevada granites. Most pesticide leaching is in these alluvial soils, particularly in areas where depth to ground water is less than 30 m. The areas currently most susceptible to pesticide leaching are eastern Fresno and Tulare Counties. Tritium in water molecules is an indicator of aquifer recharge with water of recent origin. Pesticide residues transported as dissolved species were not detected in non-tritiated water. Although pesticides were not detected in all samples containing high tritium, these samples are indicative of the presence of recharge water that interacted with agricultural soils.

129

NAL Call. No.: TD420.A1P7

Phosphorus export from nonpoint sources in the Berg River, Western Cape Province, South Africa.

Bath, A.J.; Marais, G.V.R.

Oxford ; New York : Pergamon Press, c1981-; 1993.

Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p.

713-718; 1993. Paper presented at the IAWQ First

International Conference on "Diffuse (Nonpoint) Pollution:

Sources, Prevention, Impact, Abatement." September 19-24,

1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: South Africa; Cabt; River water; Water pollution; Phosphorus; Pollution; Sources; Models

130

NAL Call. No.: QH540.J6

Phosphorus loads from selected watersheds in the drainage area of the Northern Adriatic Sea.

Vighi, M.; Soprani, S.; Puzzarini, P.; Menghi, G.

Madison, Wis. : American Society of Agronomy; 1991 Apr.

Journal of environmental quality v. 20 (2): p. 439-444; 1991

Apr. Includes references.

Language: English

Descriptors: Adriatic sea; Italy; Watersheds; Phosphorus fertilizers; Leaching; Erosion; Topography

Abstract: The Po Valley is one of the most productive agricultural areas in Europe and P losses from fertilizers are often accused of being among the main factors responsible for eutrophication of the Northern Adriatic Sea. To quantify nonpoint phosphorus loads in this area, 15 small watersheds were studied. Thirteen watersheds were in the intensive agricultural area near the coast and two watersheds were in the forested mountains. Land use in the watersheds was carefully examined and P loads from various sources were theoretically evaluated and experimentally measured. The results indicate fertilization does not increase the losses of P through leaching from the coastal soils, where the measured release were in the range 0.03 to 0.21 kg P/ha per year with a mean value of about 0.1 kg P/ha per year. There is, however, a greater loss of P through soil erosion from the mountain watersheds (0.6 kg/ha per year). It can be concluded that the control of point sources must take priority over nonpoint sources in efforts to reduce accelerated eutrophication of the Northern Adriatic Sea.

131 NAL Call. No.: S539.5.J68
Phosphorus movement in the landscape.
Sharples, A.N.; Daniel, T.C.; Edwards, D.R.
Madison, WI : American Society of Agronomy, c1987-; 1993 Oct.
Journal of production agriculture v. 6 (4): p. 492-500; 1993
Oct. Paper presented at the "Symposium on assessment of
potential phosphorus losses from a field site", November 4,
1992, Minneapolis, Minnesota. Includes references.

Language: English

Descriptors: Agricultural land; Landscape; Phosphorus; Losses from soil; Movement in soil; Runoff; Erosion; Transport processes; Application to land; Fertilizer requirement determination; Water pollution

132 NAL Call. No.: HC79.E5N3
Point/nonpoint source pollution reduction trading: an interpretive survey. Letson, D.
Albuquerque, N.M. : University of New Mexico School of Law;
1992. Natural resources journal v. 32 (2): p. 219-232; 1992.
Includes references.

Language: English

Descriptors: U.S.A.; Water pollution; Cost control; Literature reviews

133 NAL Call. No.: 280.8 J822
Point/nonpoint source trading of pollution abatement: choosing the right trading ratio.

Malik, A.S.; Letson, D.; Crutchfield, S.R.
Ames, Iowa : American Agricultural Economics Association; 1993
Nov. American journal of agricultural economics v. 75 (4): p.
959-967; 1993 Nov. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Pollution control; Law enforcement;
Costs; Water quality; Trading; Uncertainty; Mathematical
models; Ratios

Abstract: In programs for trading pollution abatement between point and nonpoint sources, the trading ratio specifies the rate at which nonpoint source abatement can be substituted for point source abatement. The appropriate value of this ratio is unclear because of qualitative differences between the two classes of sources. To identify the optimal trading ratio, we develop and analyze a model of point/nonpoint trading. We find the optimal trading ratio depends on the relative costs of enforcing point versus nonpoint reductions and on the uncertainty associated with nonpoint loadings. The uncertainty does not imply a lower bound for the optimal trading ratio.

134 NAL Call. No.: A281.9 Ag8A no.674
Point-nonpoint source trading for managing agricultural
pollutant loadings prospects for coastal watersheds.
Letson, David; Crutchfield, Stephen R.; Malik, Arun S.
United States, Dept. of Agriculture, Economic Research Service
Washington, DC : U.S. Dept. of Agriculture, Economic Research
Service; 1993. vii, 14 p. : ill., map ; 28 cm. (Agricultural
economic report ; no. 674). Cover title. "September 1993"--P.
[iii]. Water quality. Includes bibliographical references
(p. 13-14).

Language: English

Descriptors: Water quality management; Agricultural pollution;
Nonpoint source pollution

135 NAL Call. No.: 292.9 AM34
The political economy of agriculture, ground water quality
management, and agricultural research.
Roberts, R.S.; Lighthall, D.R.
Bethesda, Md. : American Water Resources Association; 1991
May. Water resources bulletin v. 27 (3): p. 437-446; 1991 May.
Includes references.

Language: English

Descriptors: Corn belt of U.S.A.; Iowa; Groundwater pollution;
Water quality; Agricultural chemicals; Agricultural
production; Water management; Agricultural research;
Agricultural policy

Abstract: The growing problem of nonpoint source ground water

contamination from agricultural chemicals is conceptualized as an historical outcome of the production environment of capitalist agriculture in the Corn Belt. Chronic overproduction and ground water contamination reveal different aspects of the same technological treadmill. The debate over Iowa's 1987 Ground Water Protection Act symbolizes the contradiction between popular demand for clean water and structural limits on policymaking. Although the Act does provide for expanded research, education, and monitoring, a coalition of commercial farmers, local chemical dealers, and the national chemical industry defeated a tax on pesticide use. Analysis of alternate policy responses--Best Management Practices (BMPs), cross compliance, site-specific regulation of chemical use, and taxation of synthetic chemicals--reveals that all tend to founder on the same structural constraints. Without practical, profitable, low-input technologies that farmers, over time, would choose to adopt, both voluntary and regulatory approaches encounter major political or implementation difficulties. The public agricultural research agenda, therefore, emerges as a central control variable for ground water quality management and a central focus for political struggle.

136 NAL Call. No.: DISS 91-12,446
Poplar tree buffer strips grown in riparian zones for biomass production and nonpoint source pollution control.
Licht, Louis Arthur
1990; 1990.
xviii, 173 leaves : ill., maps ; 28 cm. Includes bibliographical references (leaves 166-173).

Language: English

Descriptors: Water quality management; Biomass energy; Soils; Riparian flora

137 NAL Call. No.: HD101.S6
Probabilistic cost effectiveness in agricultural nonpoint pollution control. McSweeney, W.T.; Shortle, J.S.
Experiment, Ga. : The Association; 1990 Jul.
Southern journal of agricultural economics - Southern Agricultural Economics Association v. 22 (1): p. 95-104; 1990 Jul. Includes references.

Language: English

Descriptors: Virginia; Maize; Soybeans; Wheat; Nitrogen; Pollution by agriculture; Water pollution; Runoff control; Water composition and quality; Farm management; Watersheds; Cost analysis; Tillage; No-tillage; Linear programming; Probabilistic models; Case studies

Abstract: Conceptual weaknesses in the use of costs of average abatement as a measure of the cost effectiveness of agricultural nonpoint pollution control are examined. A

probabilistic alternative is developed. The focus is on methods for evaluating whole-farm pollution control plans rather than individual practices. As a consequence, the analysis is presented in a chance-constrained activity analysis framework because activity analysis procedures are a practical and well developed device for screening farm plans. Reliability of control is shown to be as important as reduction targets in designing farm plans for pollution control. Furthermore, broad-axe prescriptions of technology in the form of Best Management Practices may perform poorly with respect to cost effectiveness.

138 NAL Call. No.: S590.C63
Precision nutrient management--impact on the environment and needs for the future.
Swader, F.; Woodward, M.
New York, N.Y. : Marcel Dekker; 1994.
Communications in soil science and plant analysis v. 25 (7/8): p. 881-888; 1994. Paper presented at the 1993 International Symposium on Soil Testing and Plant Analysis: Precision Nutrient Management, August 14-19, 1993, Olympia, Washington. Part 1. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water quality; Water pollution; Point sources; Pollution control; Nutrients; Management; Application to land; Environmental protection; Profitability; Trends; Regulations; Sustainability

139 NAL Call. No.: TD420.A1P7
Predicting attainable water quality using the ecoregional approach. Schonter, R.; Novotny, V.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 149-158; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Wisconsin; Cabt; Water quality; Body water; Protection; Integrated systems; Water resources; Water management; Ecosystems; Prediction; Models

140 NAL Call. No.: 56.8 J822
Predicting spatial distributions of nitrate leaching in northeastern Colorado. Wylie, B.K.; Shaffer, M.J.; Brodahl, M.K.; Dubois, D.; Wagner, D.G. Ankeny, Iowa : Soil and Water Conservation Society; 1994 May. Journal of soil and water conservation v. 49 (3): p. 288-293; 1994 May. Includes references.

Language: English

Descriptors: Colorado; Cabt; Agricultural land; Nitrate nitrogen; Leaching; Spatial distribution; Groundwater pollution; Nitrate; Contamination; Prediction; Simulation models; Geographical information systems; Point sources

141 NAL Call. No.: NBULD3656 1991 T749
Preferences of nonpoint source groundwater protection programs by Nebraska's Natural Resources Districts.. University of Nebraska--Lincoln thesis : Community and Regional Planning
Trehitt, Thomas R.
1991; 1991.
vi, 131 leaves : ill. ; 28 cm. Includes bibliographical references.

Language: English

Descriptors: Water, Underground; Water districts; Water resources development

142 NAL Call. No.: 56.8 J822
Prescription planning: an approach to nonpoint pollution problems. Carlson, C.G.; Dean, R.; Lemme, G.
Ankeny, Iowa : Soil and Water Conservation Society of America; 1990 Mar. Journal of soil and water conservation v. 45 (2): p. 239-241. ill; 1990 Mar. Includes references.

Language: English

Descriptors: Surface water; Water resources; Aquifers; Water pollution

143 NAL Call. No.: 292.9 AM34
Problem of nonpoint source agricultural water pollution: toward a hypothetical federal legislative solution.
Caulfield, H.P. Jr
Bethesda, Md. : American Water Resources Association; 1991 May. Water resources bulletin v. 27 (3): p. 447-452; 1991 May. Includes references.

Language: English

Descriptors: Groundwater pollution; Agricultural chemicals; Drinking water; Water quality; Environmental legislation; Federal government; Politics; Decision making

Abstract: A conceptual framework of politics is set forth in relation to the federal environmental legislative process. This framework for analysis is then related to a hypothetical public problem--ground water pollution from agricultural chemicals. The public problem from the perspective of political analysis is found to involve several different types

of difficult issues with which the legislative process must deal if legislation is to be enacted.

144 NAL Call. No.: TD223.N36 1992
Proceedings the National RCWP Symposium : 10 years of
controlling agricultural nonpoint source pollution : the RCWP
experience : September 13-17, 1992, Orlando, Florida..
Seminar publication : the National Rural Clean Water Program
Symposium National RCWP Symposium 10 years of controlling
agricultural nonpoint source pollution Ten years of
controlling agricultural nonpoint source pollution
South Florida Water Management District, United States,
Environmental Protection Agency
National RCWP Symposium 1992 : Orlando, Fla.
Washington, DC : U.S. Environmental Protection Agency, Office
of Research and Development : Office of Water,; 1992.
vii, 400 p. : ill., maps ; 28 cm. Cover title: Seminar
publication : the National Rural Clean Water Program
Symposium. August 1992. EPA/625/R-92/006. Includes
bibliographical references.

Language: English

Descriptors: Water quality; Water; Water-supply, Rural

145 NAL Call. No.: 290.9 AM32P
Production systems to reduce nonpoint source pollution.
Donald, J.O.; Martin, J.B.; Gilliam, C.H.
St. Joseph, Mich. : The Society; 1990.
Paper - American Society of Agricultural Engineers (90-2059):
13 p.; 1990. Paper presented at the "1990 International Summer
Meeting sponsored by the American Society of Agricultural
Engineers," June 24-27, Columbus, Ohio. Includes references.

Language: English

Descriptors: Alabama; Poultry manure; Agricultural wastes;
Composting; Feed supplements; Pollution; Waste utilization

146 NAL Call. No.: ArUKF5627.A314P767 1991
Proposed guidance specifying management measures for sources
of nonpoint pollution in coastal waters, proposed under the
authority of Section 6217(g) of the Coastal Zone Act
Reauthorization Amendments of 1990. United States,
Environmental Protection Agency, Office of Water Washington,
D. C. : United States Environmental Protection Agency, Office
of Water,; 1991.
1 v. (various pagings) : ill. ; 28 cm. Includes
bibliographical references.

Language: English; English

Descriptors: Coastal zone management; Water; Marine pollution

147 NAL Call. No.: HD1.A3
Quantifying soil erosion for the Shihmen Reservoir watershed,
Taiwan. Lo, K.F.A.
Oxford : Elsevier Applied Science Publishers; 1994.
Agricultural systems v. 45 (1): p. 105-116; 1994. Includes
references.

Language: English

Descriptors: Taiwan; Cabt; Watersheds; Erosion; Sediment;
Nutrients; Flow; Transport processes; Sediment yield;
Simulation models

148 NAL Call. No.: GB701.W375 no.91-4027
Regional assessment of nonpoint-source pesticide residues in
ground water, San Joaquin Valley, California.
Domagalski, Joseph L.; Dubrovsky, N. M.
Geological Survey (U.S.), San Joaquin Valley Drainage Program
Sacramento, Calif. : U.S. Geological Survey ; Denver, CO :
Books and Open-File Reports Section [distributor]; 1991.
v, 64 p. : ill., maps ; 28 cm. (Water-resources investigations
report ; 91-4027 Regional aquifer-system analysis). Includes
bibliographical references (p. 38-41).

Language: English

Descriptors: Water, Underground; Pesticides

149 NAL Call. No.: TD223.7.E29 1992
Regional nonpoint source program summary environmental
Protection Agency Region 10 : Alaska - Idaho - Oregon -
Washington - Colville Confederated Tribes.
Edwards, Rick; Partee, Grover; Fleming, Fred
Seattle, Wash. : Water Division, Watershed Section, U.S.
Environmental Protection Agency, Region 10; 1992.
1 v. (various pagings) : maps, [1992]. Five maps on folded
leaves in pocket. November 1992. Includes bibliographical
references (p. G1-G2).

Language: English

Descriptors: Nonpoint source pollution; Watershed management

150 NAL Call. No.: 99.8 F768
Regulation and perceived compliance: nonpoint pollution
reduction programs in four states.
Floyd, D.W.; MacLeod, M.A.
Bethesda, Md. : Society of American Foresters; 1993 May.
Journal of forestry v. 91 (5): p. 41-44, 46-47; 1993 May.
Includes references.

Language: English

Descriptors: Forest management; Pollution control;
Regulations; Legislation

151 NAL Call. No.: HC79.P55J6
The regulation of non-point source pollution under imperfect
and asymmetric information.
Cabe, R.; Herriges, J.A.
Orlando, Fla. : Academic Press; 1992 Mar.
Journal of environmental economics and management v. 22 (2):
p. 134-146; 1992 Mar. Includes references.

Language: English

Descriptors: Pollution; Control methods; Agricultural
chemicals; Information; Costs; Reliability; Bayesian theory;
Regulations; Taxes; Farmers' attitudes; Beliefs; Mathematical
models

Abstract: This paper develops a Bayesian framework for
discussing the role of information in the design of non-point-
source pollution control mechanisms. An ambient concentration
tax is examined, allowing for spatial transport among multiple
zones. Imposition of the tax requires costly measurement of
concentrations in selected zones, and the selection of zones
for measurement must be undertaken without perfect information
regarding several parameters of the problem. Potentially
crucial information issues discussed include: (a) the impact
of asymmetric priors regarding fate and transport. (b) the
cost of measuring ambient concentration, and (c) the optimal
acquisition of information regarding fate and transport.

152 NAL Call. No.: 57.09 F41
Regulation update--clean water & phosphogypsum.
Johnson, K.
Glen Arm, Md. : Fertilizer Industry Round Table; 1992.
Proceedings /. p. 98-100; 1992. Meeting held on October
26-28, 1992, Baltimore, Maryland.

Language: English

Descriptors: Phosphogypsum; Fertilizer industry; Water
pollution; Pollution control; Regulations; Point sources

153 NAL Call. No.: TD419.5.R44 1991
Remote sensing and GIS applications to nonpoint source
planning workshop proceedings, Quality Inn Downtown, Chicago,
Illinois, October 1-3, 1990. United States, Environmental
Protection Agency, Region V, Northeastern Illinois Planning
Commission
Washington, D.C. : Terrene Institute,; 1991.
iv, 124 p. : ill., maps ; 28 cm. April 1991. Includes
bibliographical references.

Language: English

Descriptors: Water; Geographic information systems; Watershed management

154 NAL Call. No.: TD223.N36 1992
Research needs and future vision for nonpoint source projects.
Robillard, P.D.; Clausen, J.C.; Flaig, E.G.; Martin, D.M.
Washington, DC : U.S. Environmental Protection Agency; 1992.
Proceedings: the National RCWP Symposium : 10 years of
controlling agricultural nonpoint source pollution : the RCWP
experience : Sept 13-17, 1992, Orlando, Florida. p. 385-392;
1992. Includes references.

Language: English

Descriptors: U.S.A.; Water quality; Pollution control; Water management

155 NAL Call. No.: aS21.R44A7
A review of groundwater models for assessment and prediction
of nonpoint-source pollution.
Duffy, C.J.; Kincaid, C.T.; Huyakorn, P.S.
Beltsville, Md. : The Service; 1990 Jun.
ARS - U.S. Department of Agriculture, Agricultural Research
Service (81): p. 253-278; 1990 Jun. Paper presented at the
International Symposium on Water Quality Modeling of
Agricultural Non-Point Sources, part 1, June 19-23, 1988,
Logan, Utah. Includes references.

Language: English

Descriptors: Groundwater; Groundwater pollution; Models;
Leaching; Assessment

156 NAL Call. No.: TD426.R49 1991
A review of methods for assessing nonpoint source contaminated
ground-water discharge to surface water.
United States, Environmental Protection Agency, Ground-Water
Protection Division, United States, Environmental Protection
Agency, Office of Water Washington, D.C. : U.S. Environmental
Protection Agency, Office of Water,; 1991.
99 p. : ill. ; 28 cm. April 1991. "EPA 570/9-91-010"--Cover.
Includes bibliographical references.

Language: English

Descriptors: Water; Water, Underground

157 NAL Call. No.: 1.98 AG84
Reviving the Chesapeake Bay.
Comis, D.
Washington, D.C. : The Service; 1990 Sep.
Agricultural research - U.S. Department of Agriculture,

Agricultural Research Service v. 38 (9): p. 4-11. ill; 1990 Sep.

Language: English

Descriptors: Delaware; Maryland; Virginia; Water pollution; Estuaries; Runoff; Agricultural land; Sewage effluent; Nutrients; Aquatic organisms

158 NAL Call. No.: HD1750.W4
Risk considerations in the reduction of nitrogen fertilizer use in agricultural production.
Lambert, D.K.
Lincoln, Neb. : Western Agricultural Economics Association; 1990 Dec. Western journal of agricultural economics v. 15 (2): p. 234-244; 1990 Dec. Includes references.

Language: English

Descriptors: Arizona; Cotton; Farm income; Nitrogen fertilizers; Pollution; Economic impact; Application rates; Quantity controls; Production functions; Crop production; Taxes

159 NAL Call. No.: TD420.A1P7
River salination due to non-point contribution of irrigation return flow in the Breede River, Western Cape Province, South, Africa.
Flugel, W.A.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 193-197; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: South Africa; Cabt; River water; Salinization; Pollution; Sources; Irrigation; Irrigation systems; Return flow

160 NAL Call. No.: TD224.W6L56 1993
Rural conservation practices for cleaner water.
Linguist, Perry; Korb, Gary; Katona, Juli
Madison, Wis. : University of Wisconsin Extension, [1993?]; 1993. [8] p. : ill. ; 28 cm. Caption title. "GWQ010"--P. [8]. "I-05-93-5M-20-S"--P. [8].

Language: English

Descriptors: Agricultural pollution; Nonpoint source pollution

161

NAL Call. No.: 99.8 F7623

Salicaceae family trees in sustainable agroecosystems.

Licht, L.A.

Ottawa : Canadian Institute of Forestry; 1992 Apr.

The Forestry chronicle v. 68 (2): p. 214-217; 1992 Apr. Paper presented at "Contribution of Salicaceae Family to Ameliorating our Environment." Joint Popular Council of Canada/US Popular Council Annual Meeting held Sept. 26-29, 1991, Ottawa, Ontario, Canada. Includes references.

Language: English

Descriptors: Iowa; Salicaceae; Populus; Sustainability; Strip cropping; Groundwater; Water quality; Nitrates; Nitrogen; Nutrient uptake; Ecosystems

Abstract: Research at the University of Iowa is testing the ECOLOTREE BUFFER, a prototype wooded buffer strip planted between a creek and row-cropped land with roots grown intentionally deep enough to intersect the near-surface water table. This project demonstrates that Populus spp. trees cultured by using this technique are both ecologically sustaining and productive. Measured data prove that nitrate is removed from near-surface groundwater and that the nitrogen uptake is present as protein in the leaves and the woody stems. The tree's physiological attributes contribute to a harvested value that can "pay its way"; these include fast wood growth, cut-stem rooting, resprouting from a stump, phreatophytic roots, and a high protein content in the leaves. The wooded riparian strip changes the local agroecosystem by reducing fertilizer nutrients causing surface water eutrophication, by diversifying wildlife habitat, by reducing soils erosion caused by wind and water, by diversifying the crop base, by creating an aesthetic addition in the landscape. This idea is a potential technique for managing non-point source pollutants created by modern farming practices.

162

NAL Call. No.: TD420.A1P7

Sampling of non-point source contamination in high-capacity wells. Zlotnik, V.A.; Spalding, R.F.; Exner, M.E.; Burbach,

M.E. Oxford ; New York : Pergamon Press, c1981-; 1993.

Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p.

409-413; 1993. Paper presented at the IAWQ First

International Conference on "Diffuse (Nonpoint) Pollution:

Sources, Prevention, Impact, Abatement." September 19-24,

1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Nebraska; Cabt; Irrigation; Wells; Groundwater pollution; Nitrates; Atrazine; Concentration; Sampling

163

NAL Call. No.: S539.5.J68

Seasonal phosphorus losses in runoff from a coastal plain soil. Truman, C.C.; Gascho, G.J.; Davis, J.G.; Wauchope, R.D. Madison, WI : American Society of Agronomy, c1987-; 1993 Oct. Journal of production agriculture v. 6 (4): p. 507-513; 1993 Oct. Paper presented at the "Symposium on assessment of potential phosphorus losses from a field site", November 4, 1992, Minneapolis, Minnesota. Includes references.

Language: English

Descriptors: Georgia; Cabt; Coastal plain soils; Agricultural soils; Phosphorus; Losses from soil; Runoff; Water pollution

164 NAL Call. No.: QD241.T6
Septic tank and agricultural non-point source pollution within a rural watershed.
Hayes, S.; Newland, L.; Morgan, K.; Dean, K.
London : Gordon and Breach Science Publishers; 1990.
Toxicological and environmental chemistry v. 26 (1-4): p. 137-155; 1990. Includes references.

Language: English

Descriptors: Texas; Water pollution; Watersheds; Reservoirs; Rural areas; Septic tank effluent; Pollution by agriculture; Chemical analysis; Ammonia; Phosphates; Fecal coliforms; Streptococcus; Aerial photography

165 NAL Call. No.: aZ5071.N3
Simulation models, GIS and nonpoint--source pollution: January 1991-December 1993.
Makuch, J.; Emmert, B.
Beltsville, Md., National Agricultural Library; 1994 Feb.
Quick bibliography series - National Agricultural Library (94-06): 78 p.; 1994 Feb. Updates QB 92-69.

Language: English

Descriptors: Simulation models; Agricultural chemicals; Water quality; Bibliographies

166 NAL Call. No.: aZ5071.N3
Simulation models, GIS and nonpoint-source pollution--January 1988-June 1992. Holloway, D.; Makuch, J.
Beltsville, Md. : The Library; 1992 Sep.
Quick bibliography series - U.S. Department of Agriculture, National Agricultural Library (U.S.). (92-69): 43 p.; 1992 Sep. Bibliography.

Language: English

Descriptors: Simulation models; Information systems; Groundwater pollution; Agricultural chemicals; Bibliographies

167

NAL Call. No.: 292.9 AM34

Simulation of sediment and plant nutrient losses by the CREAMS water quality model.

Yoon, K.S.; Yoo, K.H.; Soileau, J.M.; Touchton, J.T.

Bethesda, Md. : American Water Resources Association; 1992

Nov. Water resources bulletin v. 28 (6): p. 1013-1021; 1992

Nov. Includes references.

Language: English

Descriptors: Alabama; Gossypium hirsutum; Conservation tillage; Tillage; Erosion; Runoff; Nitrogen; Phosphorus; Losses from soil; Water quality; Water pollution; Catchment hydrology; Simulation models; Prediction

Abstract: CREAMS was applied to a field-sized watershed planted to cotton in the Limestone Valley region of northern Alabama. The field was cultivated for three years with conventional tillage (CvT) followed by three years or conservation tillage (CsT). CREAMS is composed of three components: hydrology, erosion, and chemistry. Surface runoff and losses of sediment, N and P were simulated and results were compared with the observed data from the watershed. Curve numbers recommended in the CREAMS user's guide were not adequate for the watershed conditions. The hydrology submodel improved runoff simulation from CvT and CsT when field-data based curve numbers were used. The erosion submodel demonstrated that CsT reduced sediment loss more than CvT, even though CsT had higher runoff than CvT. The nutrient submodel based on the simulated runoff and sediment underpredicted N loss for both CvT and CsT. This submodel, however, accurately predicted P loss for CvT, but underpredicted for CsT (50 percent lower than the observed). The results of CREAMS simulation generally matched the observed order of magnitude for higher runoff, lower sediment, and higher N and P losses from CsT than from CvT.

168

NAL Call. No.: 275.29 IO9PA

Soil information related to nonpoint pollution.

Miller, G.A.

Ames, Iowa : The Service; 1992 Sep.

PM - Iowa State University, Cooperative Extension Service v.): 6 p.; 1992 Sep.

Language: English

Descriptors: Iowa; Soil types; Soil parent materials; Soil texture; Erodibility; Profiles; Soil surveys; Topsoil; Characteristics; Environmental factors

169

NAL Call. No.: 292.9 Am34

A spatial decision support system for assessing agricultural nonpoint source pollution.

Srinivasan, R.; Engel, B.A.

Herndon, Va. : American Water Resources Association; 1994 May.
Water resources bulletin v. 30 (3): p. 441-452; 1994 May.
Includes references.

Language: English

Descriptors: Texas; Cabt; Pollution; Watersheds; Runoff;
Erosion; Geographical information systems; Simulation models;
Integrated systems

Abstract: A spatial decision support system (SDSS) was developed to assess agricultural nonpoint source (NPS) pollution using an NPS pollution model and geographic information systems (GIS). With minimal user interaction, the SDSS assists with extracting the input parameters for a distributed parameter NPS pollution model from user-supplied GIS base layers. Thus, significant amounts of time, labor, and expertise can be saved. Further, the SDSS assists with visualizing and analyzing the output of the NPS pollution simulations. Capabilities of the visualization component include displays of sediment, nutrient, and runoff movement from a watershed. The input and output interface techniques/algorithms used to develop the SDSS, along with an example application of the SDSS, are described.

170

NAL Call. No.: 56.8 J822

Special protection areas: a new nonpoint-source management option in Nebraska. Ehrman, R.L.; Link, M.L.; Gottula, J.J. Ankeny, Iowa : Soil and Water Conservation Society of America; 1990 Mar. Journal of soil and water conservation v. 45 (2): p. 263-264; 1990 Mar. In subseries: Case studies in rural groundwater management. Throughout the nation innovative programs in response to rural groundwater quality issues. Includes references.

Language: English

Descriptors: Nebraska; Groundwater flow; Water quality; Water pollution; Protection

171

NAL Call. No.: 56.8 J822

Statewide GIS-based ranking of watersheds for agricultural pollution prevention. Hamlett, J.M.; Miller, D.A.; Day, R.L.; Peterson, G.W.; Baumer, G.M.; Russo, J. Ankeny, Iowa : Soil and Water Conservation Society of America; 1992 Sep. Journal of soil and water conservation v. 47 (5): p. 399-404; 1992 Sep. Includes references.

Language: English

Descriptors: Pollution; Watersheds; Ranking; Computer techniques; Models; Databases; Geography

172 NAL Call. No.: SD356.6.M35S96 1993
Summary of current state nonpoint source control practices for forestry.. Current NPS control practices for forestry Current state nonpoint source control practices for forestry
Tetra Tech, inc, United States, Environmental Protection Agency, Office of Water, United States, Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds Washington, DC : U.S. Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds,; 1993.
iv, 168 p. ; 28 cm. Running title: Current NPS control practices for forestry. August 1993. "United States Environmental Protection Agency, Office of Water"--Cover. EPA-841/S-93-001. "EPA Contract Number 68-C3-0303"--P. ii.

Language: English; English

Descriptors: Forest management; Forests and forestry

173 NAL Call. No.: TD420.A1P7
Sustainable agriculture: impacts on nonpoint pollution.
Hatfield, J.L.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 415-424; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Sustainability; Farming; Farming systems; Natural resources; Use efficiency; Pollution control

174 NAL Call. No.: 292.9 AM34
Targeting remedial measures to control nonpoint source pollution. Dickinson, W.T.; Rudra, R.P.; Wall, G.J.
Minneapolis, Minn. : American Water Resources Association; 1990 Jun. Water resources bulletin v. 26 (3): p. 499-507; 1990 Jun. Includes references.

Language: English

Descriptors: Ontario; Pollution by agriculture; Erosion; Sedimentation; Losses from soil systems; Erosion control; Soil and water conservation; Sediments; Watersheds; Upland areas; Lowland areas; Computer software

175 NAL Call. No.: 290.9 Am32P
Targeting Virginia's nonpoint source programs.
Hession, W.C.; Flagg, J.M.; Wilson, S.D.; Biddix, R.W.; Shanholtz, V.O. St. Joseph, Mich. : American Society of Agricultural Engineers,; 1992. Paper / (922092): 15 p.; 1992. Paper presented at the "1992 International Summer Meeting

sponsored by the American Society of Agricultural Engineers," June 21-24, 1992, Charlotte, North Carolina. Includes references.

Language: English

Descriptors: Water quality; Pollution

176 NAL Call. No.: 282.9 G7992
Task force findings and recommendations for enhancing Great Plains water quality.
Lacewell, R.D.
Lincoln, Neb. : The Council; 1992.
Proceedings - Great Plains Agricultural Council. p. 62-68; 1992. Meeting held June 9-11, 1992 in Lincoln, Nebraska.

Language: English

Descriptors: Northern plains states of U.S.A.; Southern plains states of U.S.A.; Groundwater; Surface water; Water quality; Environmental impact; Water pollution; Water policy

177 NAL Call. No.: 275.9 N213
Teaching soil conservation and non-point source pollution.
Dickinson, W.T.; Rudra, R.P.; Wall, G.J.
Urbana, Ill. : National Association of Colleges and Teachers of Agriculture; 1990 Mar.
NACTA journal v. 34 (1): p. 52-56. maps; 1990 Mar. Includes references.

Language: English

Descriptors: Agricultural education; Teaching; Soil conservation; Simulation models; Soil pollution

178 NAL Call. No.: TD420.A1P7
Technical guidance for implementing BMPS in the Coastal zone.
Frederick, R.E.; Dressing, S.A.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International Association on Water Pollution Research v. 28 (3/5): p. 129-135; 1993. Paper presented at the IAWQ First International Conference on "Diffuse (Nonpoint) Pollution: Sources, Prevention, Impact, Abatement." September 19-24, 1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: U.S.A.; Cabt; Water pollution; Coastal areas; Technical aid; Guidelines; Pollution; Sources

179 NAL Call. No.: TD224.I2R63 1991
Ten year report.. Rock Creek Rural Clean Water Program final

report, 1981-1991
Rock Creek Rural Clean Water Program (Idaho); United States,
Dept. of Agriculture
Twin Falls, Idaho : The Program,; 1991.
328 p. : ill., maps ; 28 cm. April 1991. In cooperation with
USDA ... [et al.]. Cover title: Rock Creek Rural Clean Water
Program final report, 1981-1991. Includes bibliographical
references (p. 241-287).

Language: English; English

Descriptors: Water quality management; Nonpoint source
pollution; Agricultural pollution

180 NAL Call. No.: 56.8 J822
Terrain analysis: integration into the agricultural nonpoint
source (AGNPS) pollution model.
Panuska, J.C.; Moore, I.D.; Kramer, L.A.
Ankeny, Iowa : Soil and Water Conservation Society of America;
1991 Jan. Journal of soil and water conservation v. 46 (1): p.
59-64; 1991 Jan. Includes references.

Language: English

Descriptors: Terrain; Pollution; Water quality; Erosion;
Computer simulation

181 NAL Call. No.: HC110.W43T48 1993
Theory, modeling, and experience in the management of
nonpoint-source pollution.
Russell, Clifford S.; Shogren, Jason F.
Boston : Kluwer Academic Publishers,; 1993.
xvii, 345 p. : ill., maps ; 24 cm. (Natural resource
management and policy). Papers presented at a workshop
sponsored by the Association of Environmental and Resource
Economists and held at the University of Kentucky, Lexington,
KY, in June 1991. Includes bibliographical references.

Language: English; English

Descriptors: Water; Agricultural pollution; Water quality
management

182 NAL Call. No.: TD420.A1P7
Three types of approaches to controlling non-point source
pollution of agrochemicals from golf links in water resources
management. Morioka, T.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
549-559; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Japan; Cabt; Pesticides; Pollution; Sources; Golf courses; Water pollution; Pollution control

183 NAL Call. No.: QH545.A1E58
Toxicity of sediments containing atrazine and carbofuran to larvae of the midge *Chironomus tentans*.
Douglas, W.S.; McIntosh, A.; Clausen, J.C.
Tarrytown, N.Y. : Pergamon Press; 1993 May.
Environmental toxicology and chemistry v. 12 (5): p. 847-853; 1993 May. Includes references.

Language: English

Descriptors: *Camptochironomus tentans*; Toxicity; Atrazine; Carbofuran; Pesticide mixtures; Runoff; Mortality; Nontarget organisms; Water pollution

184 NAL Call. No.: TD223.N36 1992
A tracking index for nonpoint source implementation projects.
Dressing, S.A.; Clausen, J.C.; Spooner, J.
Washington, DC : U.S. Environmental Protection Agency; 1992.
Proceedings: the National RCWP Symposium : 10 years of controlling agricultural nonpoint source pollution : the RCWP experience : Sept 13-17, 1992, Orlando, Florida. p. 77-87; 1992. Includes references.

Language: English

Descriptors: Water quality; Pollution control; Water management

185 NAL Call. No.: TD424.35.I6M67 1991
Use of the Black Creek database to analyze techniques for estimating nonpoint source loadings from small watersheds (May 1988).
Morrison, James; Christensen, Ralph G.
Chicago, Ill. : U.S. Environmental Protection Agency, Great Lakes National Program Office; 1991.
17 p. : ill., map ; 28 cm. PB93-128072. EPA-905/9-91-011.
Grant no.R005754-01.

Language: English

Descriptors: Water; Watershed management

186 NAL Call. No.: S539.5.J68
Using the phosphorus assessment tool in the field.
Stevens, R.G.; Sobecki, T.M.; Spofford, T.L.
Madison, WI : American Society of Agronomy, c1987-; 1993 Oct.
Journal of production agriculture v. 6 (4): p. 487-492; 1993

Oct. Paper presented at the "Symposium on assessment of potential phosphorus losses from a field site", November 4, 1992, Minneapolis, Minnesota. Includes references.

Language: English

Descriptors: Oregon; Cabt; Washington; Cabt; Site class assessment; Phosphorus; Losses from soil; Risk; Indexes; Site factors; Resource management; Water pollution

187 NAL Call. No.: 292.9 Am34
Validation of AGNPS for small watersheds using an integrated AGNPS/GIS system. Mitchell, J.K.; Engel, B.A.; Srinivasan, R.; Wang, S.S.Y. Bethesda, Md. : American Water Resources Association; 1993 Sep. Water resources bulletin v. 29 (5): p. 833-842; 1993 Sep. Includes references.

Language: English

Descriptors: Illinois; Cabt; Watersheds; Pollution; Runoff; Sediment; Erosion; Catchment hydrology; Simulation models; Geographical information systems; Integrated systems; Topography

Abstract: The AGNPS (Agricultural NonPoint Source) model was evaluated for predicting runoff and sediment delivery from small watersheds of mild topography. Fifty sediment yield events were monitored from two watersheds and five nested subwatersheds in East Central Illinois throughout the growing season of four years. Half of these events were used to calibrate parameters in the AGNPS model. Average calibrated parameters were used as input for the remaining events to obtain runoff and sediment yield data. These data were used to evaluate the suitability of the AGNPS model for predicting runoff and sediment yield from small, mild-sloped watersheds. An integrated AGNPS/GIS system was used to efficiently create the large number of data input changes necessary to this study. This system is one where the AGNPS model was integrated with the GRASS (Geographic Resources Analysis Support System) GIS (Geographical Information System) to develop a decision support tool to assist with management of runoff and erosion from agricultural watersheds. The integrated system assists with the development of input GIS layers to AGNPS, running the model, and interpretation of the results.

188 NAL Call. No.: SB475.83.V44 1992
Vegetative practices guide for nonpoint source pollution management., Rev. December 16, 1992..
Hampton Roads Planning District Commission (Va.)
Chesapeake, Va.? : The Commission,; 1992.
1 v. (various pagings) : ill. ; 28 cm. Includes bibliographical references.

Language: English

Descriptors: Water quality management; Landscape architecture
in water conservation; Nonpoint source pollution

189 NAL Call. No.: KF3788.U54 1990
Water pollution greater EPA leadership needed to reduce
nonpoint source pollution : report to the Chairman and Ranking
Minority Member, Subcommittee on Investigations and Oversight,
Committee on Public Works and Transportation, House of
Representatives.. Greater EPA leadership needed to reduce
nonpoint source pollution Nonpoint source pollution
United States. General Accounting Office; United States,
Congress, House, Committee on Public Works, Subcommittee on
Investigations and Oversight Washington, DC : The Office,;
1990; GA 1.13:RCED-91-10.
56 p. : map ; 28 cm. Cover title. Running title: Nonpoint
source pollution. October 1990. GAO/RCED-91-10. "B-236683"--
P. [1]. Includes bibliographical references.

Language: English; English

Descriptors: Water; Water quality

190 NAL Call. No.: 56.8 J822
Water quality and agriculture: Mississippi experiences.
Cooper, C.M.; Lipe, W.M.
Ankeny, Iowa : Soil and Water Conservation Society of America;
1992 May. Journal of soil and water conservation v. 47 (3): p.
220-223; 1992 May. Includes references.

Language: English

Descriptors: Mississippi; Water quality; Agricultural
production; Agricultural land; Environmental impact;
Environmental degradation; Water pollution; Pollutants;
Sediment; Nutrients; Pesticides; Coliform bacteria; Losses
from soil systems; Soil conservation; Water conservation;
Erosion control; Runoff; Eutrophication; Animal wastes; Waste
treatment; Case studies

191 NAL Call. No.: 292.9 C1282
Water quality and nonpoint source pollution.
Martinson, S.M.
Riverside, Calif. : The Center; 1991 Apr.
Report - California Water Resources Center, University of
California (75): p. 103-109; 1991 Apr. In the series
analytic: California Watersheds at the Urban Interface /
edited by J.J. DeVries and S.G. Conard. Proceedings of the
Third Biennial Watershed Conference, Oct 30-31, 1990, Ontario,
California. Includes references.

Language: English

Descriptors: Water quality; Pollution

192 NAL Call. No.: Z5862.2.W3W38 1993
Water quality effects and nonpoint source control for forestry
an annotated bibliography.
Craig, John
United States, Environmental Protection Agency, Office of
Wetlands, Oceans, and Watersheds, Nonpoint Source Control
Branch, Tetra Tech, inc Washington, DC : Nonpoint Source
Control Branch, Office of Wetlands, Oceans, and Watersheds,
U.S. Environmental Protection Agency,; 1993. ii, 241 p. ; 28
cm. "Prepared by John Craig ..."--P. i. August, 1993.
"EPA-841/B-93-005"--Cover.

Language: English

Descriptors: Water quality; Forests and forestry

193 NAL Call. No.: QH540.J6
Water quality impacts associated with sorghum culture in
Southern Plains. Sharpley, A.N.; Smith, S.J.; Williams, J.R.;
Jones, O.R.; Coleman, G.A. Madison, Wis. : American Society of
Agronomy; 1991 Jan.
Journal of environmental quality v. 20 (1): p. 239-244; 1991
Jan. Includes references.

Language: English

Descriptors: Sorghum bicolor; Nitrogen fertilizers; Phosphorus
fertilizers; Runoff; Sediment; Surface water; Tillage;
Transport processes; Water pollution; Water quality;
Watersheds; Environmental impact; Eutrophication

194 NAL Call. No.: aSD11.A42
Water quality management tools for national and western
nonpoint source control.
Dean, R.
Fort Collins, Colo. : Rocky Mountain Forest and Range
Experiment Station, Forest Service, U.S. Department of
Agriculture; 1993.
General technical report RM / (226): p. 3-7; 1993. In the
series analytic: Riparian management: common threads and
shared interests. Paper presented at a conference on Feb. 4-6,
1993, Albuquerque, New Mexico.

Language: English

Descriptors: U.S.A.; Cabt; Water pollution; Environmental
policy; Finance; Regulations

195 NAL Call. No.: TC424.M6T43 no.132
Water quality modeling terrain analysis and the agricultural
non-point source pollution (AGNPS) model.. Terrain analysis
and the agricultural non-point source pollution (AGNPS) model
Panuska, John C.; Moore, Ian D.

University of Minnesota, Water Resources Research Center,
Geological Survey (U.S.)
St. Paul, MN : Water Resources Research Center, University of
Minnesota,; 1991.
iii, 56 p. : ill. ; 28 cm. (Technical report (University of
Minnesota. Water Resources Research Center) ; no. 132.). May
1991. Supported in part by funds provided by the U.S. Dept.
of the Interior, U.S. Geological Survey, and the Water
Resources Research Center, University of Minnesota, as
authorized by the Water Resources Research and Development Act
of 1984--Prelim. page. Includes bibliographical references
(p. 54-56).

Language: English

Descriptors: Water quality management; Agricultural pollution

196 NAL Call. No.: TD420.A1P7
Zelivka river storage and treatment complex supplying the
Prague Agglomeration with drinking water: addressing point and
non-point pollution problems. Chour, V.; Holas, J.; Korab, J.;
Srb, O.
Oxford ; New York : Pergamon Press, c1981-; 1993.
Water science and technology : a journal of the International
Association on Water Pollution Research v. 28 (3/5): p.
159-163; 1993. Paper presented at the IAWQ First
International Conference on "Diffuse (Nonpoint) Pollution:
Sources, Prevention, Impact, Abatement." September 19-24,
1993, Chicago, Illinois. Includes references.

Language: English

Descriptors: Czechoslovakia; Cabt; River water; Reservoirs;
Water pollution; Sources; Eutrophication; Agricultural land

AUTHOR INDEX

Adelman, D. 105
Adrian, D.D. 125
Alonso, C.V. 99
Arnold, J. 111
Arnold, J.A. 45, 119, 120
Ashraf, M.S. 38, 115
Baglio, J.V. 114
Baker, D.B. 127
Baker, J.C. 33
Bath, A.J. 129
Batie, S.S. 62, 75
Bauereis, E.I. 21
Baumer, G.M. 61, 171
Beasley, D.B. 100
Bedient, Philip B., 20
Beeton, A.M. 44
Bengtson, R.L. 77

Bennett, Steve 18
Benson, V.W. 114
Biddix, R.W. 175
Binkley, D. 57, 83
Bogardi, I. 66
Bonta, J.V. 54
Borah, D.K. 38, 115
Bouzaher, A. 93
Braden, J.B. 91
Brichford, S.L. 119
Brodahl, M.K. 140
Brown, D. 83
Brown, S.J. 111
Brown, T.C. 57, 83
Brusven, M.A. "22, 126
Burbach, M.E. 40, 162
Burt, J.P. 8
Cabe, R. 93, 151
Calkins, B.L. 90
Cardwell, John 71
Carey, A.E. 6
Carlson, C.G. 142
Carochi, J. 85
Carriquiry, A. 93
Carsel, R.F. 78
Carter, C.E. 77
Caulfield, H.P. Jr 143
Chandra, P. 17
Chapra, S.C. 87
Charbonneau, R. 82
Chen, Y.D. 78
Cherryholmes, K.L. 68
Chour, V. 196
Christensen, L. A. 47
Christensen, Ralph G. 185
Clausen, J.C. 154, 183, 184
Clausen, John C. 124
Cockrell, Charles W. 27
Coffey, S.W. 45, 119, 120
Coleman, G.A. 193
Comis, D. 157
Conservation Technology Information Center, United States,
Soil Conservation Center 117
Contant, C.K. 32
Cooper, A.B. 98
Cooper, C.M. 190
Corbett, E.S. 50
Craig, John 192
Crutchfield, S.R. 133
Crutchfield, Stephen R. 134
Cubbage, F.W. 30, 58
Curtis, B. 105
Daniel, T.C. 25, 37, 87, 131
Davie, D.K. 41
Davis, J.G. 163
Day, R.L. 61, 171
Dean, K. 164

Dean, R. 142, 194
Deichert, L.A. 106
DeLong, M.D. 22, 126
Detroy, M.G. 68
Dickinson, W.T. 5, 76, 174, 177
Diebel, P.L. 75
Dillworth, M.E. 23
Domagalski, J.L. 128
Domagalski, Joseph L. 148
Donald, J.O. 145
Donigian, Anthony S. 101
Donohue, S.J. 33
Douglas, W.S. 183
Doyle, Paul 113
Dressing, S.A. 178, 184
Dubois, D. 140
Dubrovsky, N. M. 148
Dubrovsky, N.M. 128
Duda, A.M. 2
Duffy, C.J. 155
Duffy, M.D. 32
Dyck, W.J. 98
Eatherall, A. 88
Ebodaghe, Denis Abumere, 1
Edwards, C. A. 7
Edwards, D.R. 25, 37, 131
Edwards, Rick 149
Ehrman, R.L. 170
Ekholm, P. 55
Emmert, B. 165
Engel, B.A. 111, 169, 187
Enright, P. 121
Environmental Research Laboratory (Athens, Ga.) 101
Euw, E.L. von 76
Exner, M.E. 40, 162
Flagg, J.M. 175
Flaig, E.G. 154
Fleming, Fred 149
Flippo, Herbert N. 15
Floyd, D.W. 150
Flugel, W.A. 159
Frederick, R.E. 178
Fried, J.J. 66
Frind, E. 66
Furlong, E.T. 64
Gale, J.A. 45, 119, 120
Gallagher, D.L. 65
Galveston Bay National Estuary Program 20
Garg, P. 17
Gascho, G.J. 163
Gassman, P.W. 93
Geological Survey (U.S.), San Joaquin Valley Drainage Program
148
Ghadiri, H. 5
Gilbert, R.G. 28
Gilliam, C.H. 145
Gottula, J.J. 170

Graham-Tomasi, Theodore 80
Hall, D.W. 43
Hall, J. 9
Hall, J.A. 54
Halstead, J.M. 62, 75
Hamilton, J.R. 90
Hamlett, J.M. 61, 106, 171
Hampton Roads Planning District Commission (Va.) 188
Haney, H.L. Jr 58
Hardin, P.D. 114
Hariston, J.E. 74
Hatfield, J.L. 173
Havis, R.N. 125
Hawkins, G.W. 33
Hawks, L.J. 58
Hayes, S. 164
Heatwole, C.D. 52, 75
Heidtke, T.M. 10
Helgesen, John O. 12
Hermsmeyer, B. 36
Herriges, J.A. 151
Hession, W.C. 175
Hickman, C.A. 30
Holas, J. 196
Holloway, D. 166
Holub, M.A. 32
Hostettler, F.D. 108
Howar, H.D. 92
Howett, C. 9
Hubbard, R.K. 95
Huber, Wayne C. 101
Humenik, F.J. 45
Huyakorn, P.S. 155
Idaho, Division of Environmental Quality 71
International Association of Water Quality 34
Jackson, Donald R. 15
Jakubauskas, M.E. 23
Jenkins, A. 88
Jennings, G.D. 119, 120
Johengen, T.H. 44
Johnsen, Fred Hakon 122
Johnson, K. 152
Jones, O.R. 193
Jones, R.L. 86
Jorgensen, S.E. 5
Kalkhoff, S.J. 68
Kamari, J. 55
Katona, Juli 160
Kelly, W.E. 66, 105
Kincaid, C.T. 155
Kolb, H.E. 109
Kondolf, G.M. 82
Konyar, K. 79
Korab, J. 196
Korb, Gary 160
Kozloff, K. 96
Kozloff, Keith 53

Kramer, L.A. 180
Kramer, R.A. 75
Krause, Kenneth R., 47
Kuske, J. 89
Kuzniar, R.L. 68
LaBuddle, G. 109
Lacewell, R.D. 176
Lakshminarayan, P.G. 93
Lambert, D.K. 158
Lant, C.L. 41
Larson, B.A. 39
Larson, Bruce A. 4
Leavesley, G.H. 100
Lehman, D.A. 26
Lemme, G. 142
Lemunyon, J.L. 28
Leonard, R.A. 100
Lessley, B.V. 92
Letson, D. 132, 133
Letson, David 134
Licht, L.A. 161
Licht, Louis Arthur 136
Lichtenberg, E. 92
Lickwar, P.M. 30
Lighthall, D.R. 135
Line, D.E. 42, 45, 120
Link, M. 63
Link, M.L. 170
Linguist, Perry 160
Lipe, W.M. 190
Lo, K.F.A. 147
Lowrance, R. 95
Lubello, C. 35
Lynch, J.A. 50
MacLeod, M.A. 150
Madramootoo, C.A. 31, 121
Makuch, J. 165, 166
Malik, A.S. 39, 133
Malik, Arun S. 4, 134
Marais, G.V.R. 129
Marsh, J.M. 11
Martin, D.M. 154
Martin, J.B. 145
Martinko, E.A. 23
Martinson, S.M. 191
McCabe, L.J. 107
McCutcheon, S.C. 78
McIntosh, A. 183
McKissack, D. 51
McSweeney, W.T. 137
Menghi, G. 130
Miller, D.A. 61, 171
Miller, G.A. 168
Minnesota Pollution Control Agency 97
Minshall, G. Wayne 16
Mitchell, J.K. 187
Monnett, M.M. 33

Montas, H. 31
Moore, I.D. 180
Moore, Ian D. 195
Moore, P.A. Jr 37
Morandi, Larry B. 113
Morgan, K. 164
Morioka, T. 182
Morrison, James 185
Morse, G. 88
Mostaghimi, S. 73
National Center for Agricultural Law Research and Information
(U.S.), Arkansas Water Resources Research Center 116
National Conference of State Legislatures 113
Nearing, M.A. 49
Netusil, N.R. 91
Newell, Charles J. 20
Newland, L. 164
Newman, D.H. 58
Novotny, V. 139
Nutter, W.L. 78
Olem, Harvey 34
Olson, Richard K. 29
Opaluch, J.J. 3
Oregon State University, Water Resources Research Institute,
Oregon State University, Extension Service 81
Osborn, C.T. 79
Osmond, D.L. 45, 120
Padgitt, S. 62
Panuska, J.C. 180
Panuska, John C. 195
Partee, Grover 149
Pereira, W.E. 108
Petersen, G.W. 61
Peterson, G.W. 171
Phillips, D.L. 114
Pionke, H.B. 100
Piper, S.L. 48
Posch, M. R55
Prete, F. 35
Prout, A.L. 19
Puzzarini, P. 130
Rai, U.N. 17
Rasmussen, T.C. 78
Razavian, D. 70
Reay, W.G. 65
Reddy, K.R. 87
Rekolainen, S. 55
Relf, P.D. 51
Rewerts, C. 111
Ribaldo, M. 39
Ribaldo, M.O. 48, 79
Ribaldo, Marc 4
Richards, R.P. 127
Rifai, H. S. 20
Rijtema, P.E. 66
Risse, R.M. 49
Risser, D.W. 43

Ritter, W.F. 112
Roberts, R.S. 135
Robillard, P.D. 56, 154
Robinson, Christopher T. 16
Rock Creek Rural Clean Water Program (Idaho) 179
Rogers, L.F. 49
Rose, C.W. 5
Rudra, R.P. 76, 174, 177
Ruffio, R.M.C. 46
Russell, Clifford S. 181
Russo, J. 61, 171
Rutledge, A. T. 12
Sapek, A. 13
Sapek, B. 13
Schipper, L.A. 98
Schonter, R. 139
Segerson, K. 3
Shaffer, M.J. 140
Shaffer, R.M. 58
Shanholtz, V.O. 175
Sharpley, A.N. 87, 131, 193
Shaw, D.R. 74
Shirmohammadi, A. 26
Shogren, J.F. 93
Shogren, Jason F. 181
Shoraka, S. 26
Shortle, J.S. 137
Simmons, G.M. Jr 65
Simpson, T.W. 33
Sims, J.T. 87
Sinha, S. 17
Smith, C.A. 74
Smith, M.C. 95
Smith, R.E. 123, 125
Smith, S.J. 193
Smolen, M.D. 119
Sobecki, T.M. 186
Soileau, J.M. 167
Soprani, S. 130
South Florida Water Management District, United States,
Environmental Protection Agency 144
Southwick, L.M. 77
Spalding, R.F. 40, 162
Spofford, T.L. 186
Spooner, J. 42, 45, 119, 120, 184
Spooner, Jean 124
Squillace, P.J. 64, 69
Srb, O. 196
Srinivasan, R. 111, 169, 187
Steed, Robert 71
Stelma, G.N. Jr 107
Stevens, R.G. 186
Stockdale, Erik C. 60
Strickler, J.K. 59
Stullken, Lloyd E. 12
Summer, R.M. 99
Susquehanna River Basin Commission 15

Swader, F. 138
Taff, S.J. 96
Taylor, D.B. 75
Terrene Institute 110
Tetra Tech, Inc, United States, Environmental Protection Agency, Office of Water, United States, Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds 172
Thurman, E.M. 64, 69
Tim, U.S 73
Touchton, J.T. 167
Tracy, J.C. 102
Trehitt, Thomas R. 141
Tripathi, R.D. 17
Truman, C.C. 163
Turner, G.W. 46
United States, Agricultural Stabilization and Conservation Service, United States, Extension Service, United States, Soil Conservation Service 1
United States, Congress, House, Committee on Natural Resources, Subcommittee on National Parks, Forests, and Public Lands 103
United States, Congress, House, Committee on Public Works, Subcommittee on Investigations and Oversight 189
United States, Dept. of Agriculture 179
United States, Dept. of Agriculture, Economic Research Service 47, 134
United States, Dept. of Agriculture, Economic Research Service, Resources and Technology Division 4
United States, Environmental Protection Agency 97
United States, Environmental Protection Agency, Ground-Water Protection Division, United States, Environmental Protection Agency, Office of Water 156
United States, Environmental Protection Agency, Office of Research and Development 14
United States, Environmental Protection Agency, Office of Research and Development, United States, Environmental Protection Agency, Office of Water, Center for Environmental Research Information (U.S.), Eastern Research Group, Inc 118
United States, Environmental Protection Agency, Office of Research and Development, United States, Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds 29
United States, Environmental Protection Agency, Office of Water 67, 124, 146
United States, Environmental Protection Agency, Office of Water, Nonpoint Source Information Exchange (U.S.) 104
United States, Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds, Nonpoint Source Control Branch, Tetra Tech, Inc 192
United States, Environmental Protection Agency, Region V, Northeastern Illinois Planning Commission 153
United States, National Oceanic and Atmospheric Administration, United States, Environmental Protection Agency, Office of Water 24
United States. Environmental Protection Agency 67
United States. General Accounting Office 103, 189

University of Minnesota, Water Resources Research Center,
 Geological Survey (U.S.) 195
 Valentine, J. 85
 Vellidis, G. 95
 Vendrell, P.F. 37
 Vighi, M. 130
 Wagner, D.G. 140
 Walker, D.J. 90
 Wall, G.J. 174, 177
 Wang, S.S.Y. 187
 Wang, Y. 96
 Warriner, M.R. 72
 Washington (State), Dept. of Ecology 60
 Wauchope, R.D. 163
 Weaver, D.M. 19
 Webster, K.T. 94
 Wedepohl, R. 87
 Weinberg, A.C. 84
 Whistler, J.L. 23
 Williams, J.R. 193
 Willis, G.H. 77
 Wilson, S.D. 175
 Winter, Gerry 71
 Wisconsin Nonpoint Source Water Pollution Abatement Program
 18
 Wiyo, K.A. 121
 Wolf, Donald W. 81
 Woodward, M. 138
 Wu, T.H. 54
 Wylie, B.K. 140
 Yoo, K.H. 167
 Yoon, K.S. 167
 Young, R.A. 99
 Younos, T.M. 73
 Zacharias, S. 52
 Zlotnik, V.A. 162

SUBJECT INDEX

Activity 119
 Adriatic sea 130
 Aerial photography 164
 Aggregate data 3
 Agricultural chemicals 5, 35, 40, 62, 66, 68, 71, 86, 93, 94,
 100, 111, 135, 143, 151, 165, 166
 Agricultural education 177
 Agricultural land 19, 36, 42, 49, 55, 65, 68, 70, 73, 79, 91,
 96, 99, 119, 127, 131, 140, 157, 190, 196
 Agricultural policy 3, 62, 75, 135
 Agricultural pollution 1, 4, 18, 47, 116, 134, 160, 179, 181,
 195
 Agricultural production 2, 6, 8, 13, 32, 42, 135, 190
 Agricultural research 135
 Agricultural sector 3
 Agricultural soils 121, 128, 163
 Agricultural wastes 76, 145

Agriculture 7, 84, 88, 116, 126
Air pollution 13
Alabama 145, 167
Alachlor 68
Algae 126
Alluvium 68
Alternative farming 114
Ammonia 164
Ammonium nitrogen 73
Angling 48
Animal waste 47
Animal wastes 95, 190
Application 35
Application methods 73, 127
Application rates 158
Application to land 43, 131, 138
Aquatic organisms 157
Aquatic plants 17
Aquifers 64, 68, 142
Arizona 158
Arkansas 25, 37
Artificial precipitation 73
Assessment 28, 78, 155
Atrazine 64, 68, 77, 162, 183
Bayesian theory 151
Beliefs 151
Bibliographies 89, 165, 166
Bioassays 11
Biodegradation 120
Biological indicators 11
Biomass energy 136
Bioremediation 95
Body water 17, 21, 139
Cabt 8, 9, 10, 11, 13, 17, 19, 25, 32, 33, 35, 37, 41, 42,
43, 46, 49, 51, 52, 57, 64, 78, 79, 83, 85, 91, 106, 109, 111,
114, 129, 133, 138, 139, 140, 147, 159, 162, 163, 169, 178,
182, 186, 187, 194, 196
California 82, 109, 128
Camptochironomus tentans 183
Canada 57
Carbofuran 183
Carbon 114
Case studies 137, 190
Catchment hydrology 70, 167, 187
Characteristics 168
Chemical analysis 164
Chemical oxygen demand 49
Chemical properties 127
Chlorophyll 99, 126
Clearcutting 50
Climatic factors 70
Coastal areas 21, 178
Coastal plain soils 163
Coastal zone management 24, 67, 146
Coliform bacteria 190
Colorado 85, 140
Comparisons 55, 102

Composting 145
Computer simulation 123, 180
Computer software 88, 174
Computer techniques 171
Concentration 69, 162
Conservation tillage 74, 167
Constructed wetlands 29
Contamination 3, 62, 63, 140
Contracts 91
Control 85
Control methods 151
Cooperation 85
Cooperative extension service 51
Corn belt of U.S.A. 135
Cost analysis 92, 137
Cost control 132
Cost effectiveness analysis 90, 96
Costs 75, 91, 133, 151
Cotton 158
Crop management 70, 87
Crop production 62, 158
Crop yield 114
Cropping systems 74
Cyanazine 68
Czechoslovakia 196
Dairy farming 62
Dairy wastes 62
Data collection 23
Databases 33, 171
Decision making 31, 143
Delaware 112, 157
Denitrification 98
Denitrifying microorganisms 98
Deterministic models 102
Discharge 64, 65
Documentation 36
Drainage 55, 98
Drinking water 143
Drying 37
Ecology 78
Economic impact 62, 158
Economic policy 39
Economics 119
Ecosystems 139, 161
Educational programs 51
Environmental assessment 46
Environmental degradation 9, 190
Environmental education 51
Environmental factors 168
Environmental impact 6, 41, 62, 82, 84, 176, 190, 193
Environmental impact statements 20
Environmental legislation 8, 39, 143
Environmental management 6, 19
Environmental monitoring 16
Environmental policy 194
Environmental protection 6, 33, 138
Epidemiology 107

Erodibility 168
Erosion 22, 31, 54, 70, 82, 87, 91, 96, 114, 130, 131, 147,
167, 169, 174, 180, 187
Erosion control 41, 85, 91, 174, 190
Estimates 55
Estimation 48
Estuaries 9, 65, 157
Eutrophication 19, 28, 73, 87, 190, 193, 196
Expert systems 31
Extension education 51
Farm income 158
Farm management 19, 62, 90, 92, 137
Farmers' attitudes 62, 151
Farming 173
Farming systems 99, 173
Farmland 22, 82, 105, 112
Fecal coliforms 164
Fecal flora 107
Federal government 83, 85, 143
Federal programs 41
Feed supplements 145
Fertilizer industry 152
Fertilizer requirement determination 33, 131
Fertilizers 43, 51
Festuca arundinacea 25, 37
Field experimentation 125
Finance 194
Finland 55
Fish 11
Flow 55, 147
Food sanitation 107
Foodborne diseases 107
Forest influences 57
Forest management 50, 57, 150, 172
Forest soils 112, 119
Forestry 30, 59
Forests 58
Forests and forestry 172, 192
Frequency 55
Furrow irrigation 90
Galveston Bay (Tex.) 20
Geographic information systems 153
Geographical information systems 10, 88, 111, 140, 169, 187
Geography 171
Geological sedimentation 85
Georgia 49, 95, 163
Glycine max 74, 114
Golf courses 182
Gossypium hirsutum 167
Groundwater 3, 12, 40, 43, 64, 65, 66, 71, 93, 102, 119, 128,
155, 161, 176
Groundwater flow 170
Groundwater pollution 26, 43, 62, 63, 66, 69, 75, 86, 102,
105, 106, 128, 135, 140, 143, 155, 162, 166
Groundwater recharge 105
Growth models 123
Guidelines 178

Habitats 22, 85
Hapludults 73
Hazardous waste sites 27
Health hazards 62
Herbicide residues 69, 108
Herbicides 74, 93
Hydrology 20, 43, 100, 123
Idaho 22, 126
Illinois 41, 114, 187
Incentives 39, 62
Indexes 28, 186
Infiltration 125
Information 151
Information systems 3, 22, 31, 61, 166
Innovation adoption 114
Integrated systems 139, 169, 187
Interactions 65, 125
Interviews 62
Iowa 32, 62, 64, 68, 69, 135, 161, 168
Irrigation 159, 162
Irrigation systems 159
Italy 35, 130
Japan 182
Kansas 23, 59
Kentucky 11
Kjeldahl method 73
Lakes 10, 49, 98, 99, 112
Land diversion 79, 82
Land evaluation 33
Land management 36, 96
Land use 10, 12, 20, 33, 49, 65, 82, 96, 106, 119, 127
Land use planning 31
Landsat 23
Landscape 131
Landscape architecture in water conservation 188
Law enforcement 133
Leaching 52, 66, 86, 128, 130, 140, 155
Legislation 58, 83, 150
Linear programming 137
Literature reviews 5, 107, 120, 132
Loads 10
Losses from soil 19, 28, 43, 74, 76, 87, 121, 131, 163, 167,
186 Losses from soil systems 73, 174, 190
Lowland areas 174
Maize 137
Maize soils 68
Management 33, 89, 138
Manures 43, 87
Mapping 22
Marginal analysis 90
Marine pollution 67, 146
Marketing techniques 91
Maryland 21, 51, 58, 92, 157
Mass media 51
Mathematical models 3, 55, 79, 125, 133, 151
Measurement 54
Metabolites 64

Meteorological factors 123
Metolachlor 77
Michigan 44
Microbial contamination 109
Microeconomic analysis 3
Minnesota 69, 96
Mississippi 190
Models 5, 10, 35, 48, 66, 69, 76, 78, 100, 106, 111, 119,
120, 129, 139, 155, 171
Monitoring 44, 55, 83, 120
Mortality 183
Movement in soil 43, 73, 102, 123, 131
National parks and reserves 103
Natural resources 173
Nebraska 36, 63, 70, 105, 162, 170
New South Wales 46
New York 10
Nitrate 63, 98, 105, 140
Nitrate fertilizers 98, 105
Nitrate nitrogen 49, 73, 140
Nitrates 43, 68, 75, 106, 161, 162
Nitrogen 9, 13, 43, 49, 65, 73, 99, 114, 137, 161, 167
Nitrogen balance 13
Nitrogen fertilizers 73, 158, 193
No-tillage 52, 73, 114, 137
Nonpoint source pollution 1, 7, 12, 15, 18, 34, 47, 67, 71,
97, 103, 104, 110, 124, 134, 149, 160, 179, 188
Nontarget organisms 183
North Carolina 9, 45
Northern plains states of U.S.A. 176
Npk fertilizers 25
Nutrient balance 114
Nutrient sources 9
Nutrient uptake 161
Nutrients 9, 19, 33, 100, 121, 126, 138, 147, 157, 190
Ohio 127
Ontario 76, 174
Oregon 186
Orissa 17
Overland flow 69, 125
Participation 41, 48
Pastures 25
Pennsylvania 43, 61, 106
Pesticide mixtures 183
Pesticide residues 44, 128
Pesticides 6, 11, 14, 52, 100, 120, 127, 128, 148, 182, 190
Pests 7
Phosphates 164
Phosphogypsum 152
Phosphorus 10, 19, 28, 49, 55, 65, 81, 87, 99, 112, 114, 129,
131, 163, 167, 186
Phosphorus fertilizers 130, 193
Piezometers 40
Pig manure 25
Planning 119
Point sources 6, 9, 19, 33, 41, 138, 140, 152
Poland 13

Politics 143
Pollutants 9, 76, 102, 120, 123, 125, 126, 127, 190
Pollution 8, 22, 25, 30, 37, 38, 42, 46, 49, 55, 68, 70, 72, 87, 88, 89, 109, 111, 115, 123, 129, 145, 151, 158, 159, 169, 171, 175, 178, 180, 182, 187, 191
Pollution by agriculture 137, 164, 174
Pollution control 9, 33, 36, 39, 44, 45, 46, 56, 78, 79, 83, 87, 90, 94, 95, 120, 133, 138, 150, 152, 154, 173, 182, 184
Populus 161
Poultry manure 25, 37, 145
Precipitation 43
Prediction 88, 139, 140, 167
Probabilistic models 102, 137
Problem solving 85
Production functions 158
Profiles 168
Profitability 138
Programs 62, 63, 83
Protection 78, 139, 170
Public agencies 85
Public opinion 62
Quantity controls 158
Quebec 31, 121
Questionnaires 62
Rain 31, 73, 76, 111, 125
Rainfall simulators 37
Ranking 171
Ratios 133
Reclamation 95
Regulations 138, 150, 151, 152, 194
Reliability 151
Remote sensing 23
Reservoirs 164, 196
Residues 36
Resource conservation 58
Resource management 28, 186
Return flow 90, 159
Reviews 119
Riparian flora 136
Riparian forests 59, 95
Riparian vegetation 22
Risk 28, 62, 78, 186
River water 64, 69, 108, 129, 159, 196
Rivers 35, 64, 98, 112, 127
Rotations 114
Runoff 25, 37, 51, 54, 55, 70, 73, 74, 87, 92, 95, 98, 114, 127, 131, 157, 163, 167, 169, 183, 187, 190, 193
Runoff control 137
Runoff water 5, 11, 72, 100, 111
Rural areas 46, 164
Salicaceae 161
Salinization 159
Sampling 40, 55, 162
Seasonal fluctuations 65
Seasonal variation 68
Sediment 5, 41, 65, 73, 90, 99, 100, 147, 187, 190, 193
Sediment yield 54, 70, 91, 96, 147

Sedimentation 174
Sediments 174
Seepage 65, 102
Septic tank effluent 164
Sewage effluent 157
Shellfish 107, 109
Silt loam soils 73
Silviculture 50
Simulation 102
Simulation models 23, 26, 31, 52, 54, 70, 88, 93, 96, 99,
105, 114, 123, 140, 147, 165, 166, 167, 169, 177, 187
Site class assessment 186
Site factors 3, 186
Social costs 79
Soil and water conservation 174
Soil chemistry 92
Soil conservation 31, 41, 84, 177, 190
Soil depth 125
Soil fertility 87
Soil management 87
Soil parent materials 168
Soil pollution 120, 177
Soil properties 76, 128
Soil surveys 168
Soil testing 33
Soil texture 168
Soil types 31, 168
Soil types (ecological) 98
Soil water content 102
Soil water movement 5
Soils 136
Solanum tuberosum 121
Solutes 125
Sorghum bicolor 193
Sources 2, 32, 42, 46, 89, 91, 109, 111, 129, 159, 178, 182,
196
South Africa 129, 159
South central states of U.S.A. 30
South eastern states of U.S.A. 30
Southern plains states of U.S.A. 176
Soybeans 137
Spatial distribution 3, 140
Spatial variation 44
State government 63, 83, 85
Statistical analysis 93
Stochastic models 75
Stochastic programming 75
Storms 11, 127
Stream flow 49
Streams 41, 57, 85, 126
Streptococcus 164
Strip cropping 161
Subsurface application 73
Subsurface drainage 77
Surface water 65, 73, 93, 98, 119, 125, 142, 176, 193
Surveys 30
Sustainability 21, 84, 138, 161, 173

Sustainable agriculture 7
Taiwan 147
Taxes 151, 158
Teaching 177
Technical aid 178
Technology transfer 51
Temporal variation 44, 127
Terrain 180
Texas 164, 169
Thematic mapper 23
Tile drainage 121
Tillage 70, 73, 74, 137, 167, 193
Topography 130, 187
Topsoil 168
Toxicity 183
Trading 133
Transboundary pollution 103
Transport processes 55, 102, 123, 125, 131, 147, 193
Treatment 42
Trends 99, 127, 138
Trout 85
U.S.A. 8, 42, 56, 57, 78, 79, 83, 91, 102, 108, 111, 132,
133, 138, 154, 178, 194
Uncertainty 133
Upland areas 174
Urban areas 119
Urban runoff 18, 60
Usda 85
Use efficiency 173
Uttar pradesh 17
Variation 49, 127
Vertical movement 68
Virginia 33, 52, 58, 62, 65, 73, 75, 137, 157
Volunteers 51
Washington 186
Waste treatment 190
Waste utilization 145
Waste water 72
Water 4, 18, 24, 29, 60, 67, 81, 101, 113, 116, 117, 118,
144, 146, 153, 156, 181, 185, 189
Water budget 43
Water composition and quality 30, 50, 137
Water conservation 84, 190
Water districts 141
Water erosion 111
Water flow 64, 123
Water management 36, 86, 135, 139, 154, 184
Water policy 48, 176
Water pollution 2, 3, 6, 10, 11, 13, 17, 21, 23, 28, 32, 33,
35, 36, 39, 40, 41, 44, 48, 50, 51, 57, 61, 64, 65, 69, 73,
74, 77, 79, 82, 83, 85, 90, 91, 92, 93, 95, 96, 98, 107, 108,
109, 111, 112, 114, 119, 120, 121, 126, 127, 129, 131, 132,
137, 138, 142, 152, 157, 163, 164, 167, 170, 176, 178, 182,
183, 186, 190, 193, 194, 196
Water purification 17
Water quality 5, 6, 9, 10, 19, 20, 23, 25, 32, 33, 38, 42,
44, 45, 48, 49, 51, 56, 57, 58, 59, 62, 63, 65, 72, 78, 81,

82, 83, 90, 92, 93, 95, 96, 99, 104, 110, 115, 117, 118, 119,
 120, 121, 124, 127, 133, 135, 138, 139, 143, 144, 154, 161,
 165, 167, 170, 175, 176, 180, 184, 189, 190, 191, 192, 193
 Water quality bioassay 16
 Water quality management 1, 16, 29, 60, 97, 113, 117, 134,
 136, 179, 181, 188, 195
 Water resources 119, 120, 139, 142
 Water resources development 141
 Water, Underground 27, 113, 116, 141, 148, 156
 Water-supply, Rural 144
 Watershed management 9, 19, 82, 85, 87, 99, 104, 110, 118,
 149, 153, 185
 Watersheds 8, 20, 22, 23, 31, 35, 38, 42, 46, 49, 61, 70, 96,
 99, 111, 112, 115, 124, 127, 130, 137, 147, 164, 169, 171,
 174, 187, 193
 Weather 99
 Wells 27, 106, 162
 Western australia 19
 Wetland conservation 29
 Wetlands 60, 95, 99
 Wheat 137
 Wisconsin 139
 Working plans 85
 Yields 73
 Zea mays 52, 114
 Zoonoses 107

SEARCH STRATEGY

Set	Items	Description
S1	787	(NONPOINT OR NON()POINT)/TI,DE,ID
S2	332443	PY=(1990 OR 1991 OR 1992 OR 1993 OR 1994)
S3	215	S1 AND S2
S4	208	RD S3 (unique items)

NAL DOCUMENT DELIVERY SERVICES

June 1993

United States Department of Agriculture
 National Agricultural Library
 Public Services Division
 Document Delivery Services Branch
 Beltsville, Maryland 20705-2351

The National Agricultural Library has established document delivery service policies for three user categories. They are 1) individuals; 2) libraries, other information centers, and commercial organizations; and 3) foreign libraries, information centers, and commercial organizations. Available services for each user category are given below. For information on electronic access for interlibrary loan requests, the "Interlibrary Loan"

file.

1) DOCUMENT DELIVERY SERVICES TO INDIVIDUALS

The National Agricultural Library (NAL) supplies agricultural materials not found elsewhere to other libraries.

Filling requests for materials readily available from other sources diverts NAL's resources and diminishes its ability to serve as a national source for agricultural and agriculturally related materials. Therefore, NAL is viewed as a library of last resort. SUBMIT REQUESTS FIRST TO LOCAL OR STATE LIBRARY SOURCES PRIOR TO SENDING TO NAL. In the United States, possible sources are public libraries, land-grant university or other large research libraries within a state. In other countries submit requests through major university, national, or provincial institutions. If the needed publications are not available from these sources, submit requests to NAL with a statement indicating their non-availability. Submit one request per page following the instructions for libraries below.

NAL'S DOCUMENT DELIVERY SERVICE INFORMATION FOR THE LIBRARY

The following information is provided to assist your librarian in obtaining the required materials.

LOAN SERVICE -- Materials in NAL's collection are loaned only to other U.S. libraries. Requests for loans are made through local public, academic, or special libraries.

The following materials are not available for loan: serials (except USDA serials); rare, reference, and reserve books; microforms; and proceedings of conferences or symposia. Photocopy or microform of non-circulating publications may be purchased as described below.

DOCUMENT DELIVERY SERVICE -- Photocopies of articles are available for a fee. Make requests through local public, academic, or special libraries. The library will submit a separate interlibrary loan form for each article or item requested. If the citation is from an NAL database (CAIN/AGRICOLA, "Bibliography of Agriculture," or the NAL Catalog) and the call number is given, put that call number in the proper block on the request form. Willingness to pay charges must be indicated on the form. Include compliance with copyright law or a statement that the article is for "research purposes only" on the interlibrary loan form or letter. Requests cannot be processed without these statements. Please read copyright notice below.

CHARGES:

- * Photocopy, hard copy of microfilm and microfiche - \$5.00 for the first 10 pages or fraction copied from a single article or publication. \$3.00 for each additional 10 pages or fraction.
- * Duplication of NAL-owned microfilm - \$10.00 per reel.
- * Duplication of NAL-owned microfiche - \$5.00 for the first

fiche and \$.50 for each additional fiche per title.

BILLING - Charges include postage and handling, and are subject to change. Invoices are issued quarterly by the National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield, VA 22161. Establishing a deposit account with NTIS is encouraged. DO NOT SEND PREPAYMENT.

Send Requests to:

USDA, National Agricultural Library
Document Delivery Services Branch, ILL, PhotoLab
10301 Baltimore Blvd., NAL Bldg.
Beltsville, Maryland 20705-2351

Contact the Head, Document Delivery Services Branch in writing or by calling (301) 504-5755 with questions or comments about this policy.

3) DOCUMENT DELIVERY SERVICES AVAILABLE TO FOREIGN LIBRARIES,
INFORMATION CENTERS AND COMMERCIAL ORGANIZATIONS.

The National Agricultural Library (NAL) accepts requests from libraries and other organizations in accordance with the national and international interlibrary loan code and guidelines.

In its national role, NAL supplies copies of agricultural materials not found elsewhere. Filling requests for materials readily available from other sources diverts NAL's resources and diminishes its ability to serve as a national source for agricultural and agriculturally related materials. Therefore, NAL is viewed as a library of last resort.

Submit requests to major university libraries, national or provincial institutions or network sources prior to sending requests to NAL. If the needed publications are not available from these sources, submit requests to NAL with a statement indicating their non-availability.

AGLINET -- Requesters in countries with an AGLINET library are encouraged to make full use of that library and its networking capabilities. As an AGLINET participant, NAL provides free document delivery service for materials published in the United States to other AGLINET participants.

REQUESTS -- Submit requests on the American Library Association (ALA) or the International Federation of Library Associations and Institutions (IFLA) interlibrary loan form or via electronic mail or telefacsimile (see over for more details). Include the complete name of the person authorizing the request on each form; the standard bibliographic source which lists the title as owned by NAL; and the call number if the citation is from an NAL database(CAIN/AGRICOLA, "Bibliography of Agriculture", or the NAL catalog).

DOCUMENT DELIVERY SERVICE -- Submit a separate completed interlibrary loan form for each article requested. Indicate willingness to pay charges on the form, and compliance with copyright law or include a statement that the article is for "research purposes only". Requests cannot be processed without these statements. Please read copyright notice below.

CHARGES:

- * Photocopy, hard copy of microfilm and microfiche - \$5.00 for the first 10 pages or fraction copied from a single article or publication. \$3.00 for each additional 10 pages or fraction.
- * Duplication of NAL-owned microfilm - \$10.00 per reel.
- * Duplication of NAL-owned microfiche - \$5.00 for the first fiche and \$.50 for each additional fiche per title.

BILLING - Charges include postage and handling, and are subject to change. Invoices are issued quarterly by the National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield, VA 22161. Establishing deposit account with NTIS is encouraged. Annual billing is available to foreign institutions on request by contacting NAL at the address below. DO NOT SEND PREPAYMENT.

Send Requests to:

USDA, National Agricultural Library
 Document Delivery Services Branch, ILL, PhotoLab
 10301 Baltimore Blvd., NAL Bldg.
 Beltsville, Maryland 20705-2351

Contact the Head, Document Delivery Services Branch at (301) 504-5755 with questions or comments about this policy.

ELECTRONIC MAIL ACCESS FOR INTERLIBRARY LOAN (ILL) REQUESTS

June 1993

The National Agricultural Library (NAL), Document Delivery Services Branch accepts ILL requests from libraries via several electronic services. All requests must comply with established routing and referral policies and procedures. The transmitting library will pay all fees incurred during the creation of requests and communication with NAL. A sample format for ILL requests is printed below along with a list of the required data/format elements.

ELECTRONIC MAIL - (Sample form below)

SYSTEM	ADDRESS CODE
=====	
INTERNET.	LENDING@NALUSDA.GOV
EASYLINK.	62031265
ONTYME.	NAL/LB
TWX/TELEX	Number is 710-828-0506 NAL LEND. This number may only be used for ILL requests.
FTS2000	A12NALLEND
OCLC	NAL's symbol AGL need only be entered once, but it must be the last entry in the Lender string. Requests from USDA and Federal libraries may contain AGL anywhere in the Lender String.

SAMPLE ELECTRONIC MAIL REQUEST

```
=====
| AG University/NAL      ILLRQ 231      4/1/93      NEED BY:  6/1/93 |
|
| Interlibrary Loan Department
| Agriculture University
| Heartland, IA  56789
|
| Dr. Smith  Faculty  Ag School
|
| Canadian Journal of Soil Science 1988 v 68(1):  17-27
| DeJong, R.  Comparison of two soil-water models under
| semi-arid growing conditions
| Ver:  AGRICOLA
| Remarks:  Not available at IU or in region.
| NAL CA:  56.8 C162
|
| Auth:  C. Johnson      CCL      Maxcost:  $15.00
|
| MORE
|
=====
```

TELEFACSIMILE - Telephone number is 301-504-5675. NAL accepts ILL requests via telefacsimile. Requests should be created on standard ILL forms and then faxed to NAL. NAL does not fill requests via Fax at this time.

REQUIRED DATA ELEMENTS/FORMAT

1. Borrower's address must be in block format with at least two blank lines above and below so form may be used in window envelopes.
2. Provide complete citation including verification, etc.
3. Provide authorizing official's name (request will be rejected if not included).
4. Include statement of copyright compliance if applicable. Please read copyright notice below.
5. Indicate willingness to pay applicable charges.
6. Include NAL call number if available. Contact the Document Delivery Services Branch at (301) 504-6503 if additional information is required.

Photocopy Warning:

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material.

Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specific conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction

for purposes in excess of "fair use," that user may be liable for copyright infringement.

This institution reserves the right to refuse to accept a copying order if, in its judgement, fulfillment of the order would involve violation of copyright law.

37 C.F.R. 201.14

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD). To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

Return to Bibliographies

Return to the Water Quality Information Center at the National Agricultural Library.

Last update: April 27, 1998

The URL of this page is <http://www.nal.usda.gov/wqic/Bibliographies/qb9501.html>

J. R. Makuch /USDA-ARS-NAL-WQIC

Disclaimers

[U.S. Department of Agriculture (USDA)] [Agricultural Research Service (ARS)] [National Agricultural Library (NAL)]

Nonpoint source pollution occurs when rain runs off farmland, city streets, construction sites, and suburban lawns, roofs and driveways and enters our waterways. This runoff often contains harmful substances such as toxics, pathogens, excess nutrients and sediments. It is called nonpoint source pollution because it does not come from a single source, or point, such as a sewage treatment plant or an industrial discharge pipe. Therefore nonpoint source pollution does not meet the legal definition of "point source" from Section 502(14) of the Clean Water Act. There are four main forms of Nonpoint source (NPS) pollution is pollution resulting from many diffuse sources, in direct contrast to point source pollution which results from a single source. Nonpoint source pollution generally results from land runoff, precipitation, atmospheric deposition, drainage, seepage, or hydrological modification (rainfall and snowmelt) where tracing pollution back to a single source is difficult. Nonpoint source pollution is water pollution that is caused by widely dispersed sources of pollutants. While the majority of nonpoint source-caused pollution problems are associated with pollutants carried by runoff from rain and snow melt, other pollutant sources include spills and leaks, atmospheric deposition, and hydrologic modifications. Nonpoint source pollutants affect groundwater and surface water. KDHE's working definition also includes those activities not requiring an Environmental Protection Agency (EPA) National Pollutant Discharge Elimination System (NPDES) permit. Water pollutio...